

# MEMORANDUM



**TO:** CITY OF NOVI PLANNING COMMISSION  
**FROM:** LINDSAY BELL, AICP, SENIOR PLANNER  
**THROUGH:** BARBARA MCBETH, AICP, CITY PLANNER  
**SUBJECT:** JSP 18-32 SRI VENKATESWARA CULTURAL CENTER:  
PRELIMINARY SITE PLAN EXTENSION  
**DATE:** SEPTEMBER 23, 2022

---

The subject property is located in Section 16, south of Grand River Avenue and west of Taft Road, in residential acreage (RA) zoning district. The applicant has received Preliminary Site Plan approval for the cultural center. The applicant is requesting an extension in order to have more time to finalize the plans for Phase II. The subject property is approximately 10.11 acres.

The Planning Commission held a public hearing and approved the Preliminary Site Plan and Storm Water Management Plan at the October 3, 2018 meeting. This approval is valid for two years.

The applicant has received administrative Final Site Plan approval, but has yet to submit final stamping sets for the Cultural Center the project. The applicant is requesting a final one-year extension of Preliminary Site Plan approval until October 2, 2023, as they are not yet ready to commence construction on the development. The Zoning Ordinance allows for three, one-year extensions of Preliminary and Final Site Plan approvals.

At this time, the Planning staff is not aware of any changes to the ordinances, or surrounding land uses, which would affect the approval of the requested extension for one year. **Approval of the extension of Preliminary Site Plan is recommended by staff.**

Attachments:

1. Letter of request for extension dated September 23, 2022 from Praveen Manyam, Manyam Group LLC
2. A copy of approved Preliminary Site Plan
3. Action Summary from October 3, 2018 Planning Commission meeting
4. Minutes from October 3, 2018 Planning Commission meeting

**REQUEST FOR EXTENSION LETTER**

---



**MANYAM GROUP *llc***

architectural design & consulting • project management

512 N. Franklin St., Suite B, Frankenmuth, MI 48734-1154 Tel: 989.652.3030

September 23, 2022

Lindsay Bell,  
Planner  
City of Novi  
45175 Ten Mile Road  
Novi, MI 48375

Dear Lindsay,

**RE: SRI VENKATESWARA TEMPLE AND CULTURAL CENTER –  
PHASE II DEVELOPMENT  
JSP 18-32 : SITE PLAN REVIEW**

The Sri Venkateswara Temple and Cultural Center wishes to request for a final extension of time for the submission of the Final Stamping Set of drawings for the above-mentioned site plan review.

This is a request for a final extension. Our prior needs were based upon our coordination with our Civil Engineer on our project and needing the time to get the information from him due to restructuring and closure of the original civil engineer's office. Since then, we have been able to coordinate and acquire much of the information for submission that was needed; however, in working towards the final with the relevant departments of the City, there are a few more notes and adjustments/clarifications that are necessary to finalize this submission. We now have an engineer that is available to work with us to identify and complete the necessary information to make the Stamping Set complete.

We do not have the original CAD files from the previous engineer and so we are working through that to come up with a way to bring this all together cohesively to meet the required notes for the stamping set. We have started this process and do request a little more time to get the new engineer fully familiar with what is needed and close out the project.

Thank you,  
**MANYAM GROUP LLC**

Praveen Manyam

**PRELIMINARY SITE PLAN**

---



**CONTACT INFORMATION**

CITY OF NOVI  
CITY MANAGER  
PETE AUGER  
PHONE: (248) 347-0420  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375

CITY OF NOVI  
PLANNER  
BARBARA AMETH PHONE:  
(248) 347-0475  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375

CITY OF NOVI  
PLANNER  
SRI KOMARAGIRI  
PHONE: (248) 735-5607  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375

CITY OF NOVI  
FIRE MARSHALL  
KEVIN PIERCE  
PHONE: (248) 347-0504  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375


CITY OF NOVI  
LANDSCAPE ARCHITECT  
ROCK MEAGER, P.L.A.  
PHONE: (248) 735-5621  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375

CITY OF NOVI  
CITY REVIEW ENGINEER  
DARYL RECHTEN  
PHONE: (248) 347-0454  
45175 WEST 10 MILE ROAD  
NOVI, MI 48375

# PRELIMINARY SITE PLAN SRI VENKATESWARA CULTURAL CENTER CITY OF NOVI, OAKLAND COUNTY, MICHIGAN SECTION 16, TOWN 1 NORTH, RANGE 8 EAST



**SITE MAP**  
1" = 100'



**PROJECT LOCATION**  
1" = 1 MILE

**PERMIT & APPROVAL LIST**

PERMIT	APPROVAL
PRELIMINARY SITE PLAN PHASE 2:	NOT APPROVED
CITY OF NOVI	
FINAL SITE PLAN PHASE 2:	NOT APPROVED
CITY OF NOVI	
RIGHT-OF-WAY PERMIT, CITY OF NOVI	NOT REQUIRED
RIGHT-OF-WAY PERMIT, OAKLAND COUNTY ROAD COMMISSION	NOT REQUIRED
RIGHT-OF-WAY PERMIT, MICHIGAN DEPARTMENT OF TRANSPORTATION	NOT REQUIRED
STORM WATER MANAGEMENT PERMIT, OAKLAND COUNTY DRAIN COMMISSIONER	NOT REQUIRED
SOIL EROSION AND SEDIMENTATION CONTROL, CITY OF NOVI	NOT APPROVED
ACT 451 NOTICE OF COVERAGE, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY	NOT REQUIRED
PART 301 INLAND LAKES & STREAMS AND PART 31 FLOODPLAIN WATER RESOURCES, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY	NOT REQUIRED
PART 303 WETLAND PERMIT, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY	NOT REQUIRED
WETLAND PERMIT, CITY OF NOVI	NOT REQUIRED
WOODLANDS PERMIT, CITY OF NOVI	NOT REQUIRED
PART 41 WASTEWATER SYSTEM PERMIT, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY	NOT REQUIRED
ACT 399 WATER SYSTEM CONSTRUCTION PERMIT, MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY	NOT REQUIRED

- NOTES:**
- ALL WORK SHALL CONFORM TO THE CITY OF NOVI STANDARDS AND SPECIFICATIONS.
  - A CITY OF NOVI GRADING PERMIT IS REQUIRED PRIOR TO ANY GRADING ON THE SITE. THIS PERMIT WILL BE ISSUED AT THE PRE-CONSTRUCTION MEETING. ONCE DETERMINED, A GRADING PERMIT FEE MUST BE PAID TO THE CITY TREASURER'S OFFICE.
  - A SOIL EROSION CONTROL PERMIT MUST BE OBTAINED FROM THE CITY OF NOVI CONTACT SARAH MARCHEON IN THE BUILDING DEPARTMENT (248-347-0430) FOR FORMS AND INFORMATION.
  - A PERMIT FOR WORK WITHIN THE RIGHT-OF-WAY OF TAFT RD. MUST BE OBTAINED FROM THE CITY OF NOVI. THE APPLICATION IS AVAILABLE FROM THE CITY ENGINEERING DIVISION AND SHOULD BE FILED AT THE TIME OF FINAL SITE PLAN SUBMITTAL. PLEASE CONTACT THE ENGINEERING DIVISION AT (248-347-0444) FOR FURTHER INFORMATION.
  - A PERMIT FOR WATER MAIN AND SANITARY SEWER CONSTRUCTION MUST BE OBTAINED FROM THE MSD. THIS PERMIT APPLICATION MUST BE SUBMITTED THROUGH THE CITY ENGINEER AFTER THE WATER MAIN PLANS HAVE BEEN APPROVED.

**ENGINEER/SURVEYOR**  
**Diffin-Umlor & Associates**  
Civil Engineering • Surveying • Landscaping • Construction Services

Matthew A. Diffin, P.E.

Principals  
49287 West Road  
Weston, MI 48393  
Phone: (248) 943-4244  
Fax: (952) 990-4327  
Email: matt@diffin-umlor.com  
Web: www.diffin-umlor.com

Michigan, Ohio, & Florida

**ARCHITECTURAL & PLANNING CONSULTANT**



**MANYAM GROUP**  
architecture • engineering •  
energy consulting • facility management  
CONTACT: PRAVEEN MANYAM  
512 N. FRANKLIN STREET  
FRANKENMUTH, MICHIGAN 48734-1000  
PHONE: 989.652.3030 FAX: 989.652.6879

**OWNER / DEVELOPER**

**Sri Venkateswara Temple and Cultural Center, Inc.**  
29482 Valley Bend Drive  
Farmington Hills, MI 48331

SHEET INDEX	
SHEET NO.	DESCRIPTION
*1	COVER SHEET
*2	TOPOGRAPHIC SURVEY / REMOVAL PLAN
*3	TREE SURVEY / TREE REMOVAL PLAN
*4	WETLAND SURVEY / WETLAND DISTURBANCE PLAN
*5	SITE PLAN
*6	SITE GRADING / SOIL EROSION CONTROL PLAN No. 1
*7	SITE GRADING / SOIL EROSION NOTES & DETAILS
*8	PHASE 1 AS-CONSTRUCTED STORM WATER MANAGEMENT PLAN No. 1
*9	PHASE 1 AS-CONSTRUCTED STORM WATER MANAGEMENT PLAN No. 2
*10	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 1
*11	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 2
*12	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 3
*13	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 4
*14	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 5
*15	PHASE 1 AS-CONSTRUCTED WATER MAIN PLAN & PROFILES No. 6
*16	PHASE 1 AS-CONSTRUCTED SANITARY SEWER PLAN & PROFILE
*17	PHASE 1 AS-CONSTRUCTED SANITARY SEWER PLAN & PROFILE
*18	PHASE 1 AS-CONSTRUCTED LANDSCAPE PLAN No. 1
*19	PHASE 1 AS-CONSTRUCTED LANDSCAPE PLAN No. 2
*20	LANDSCAPE IRRIGATION PLAN No. 1
*21	LANDSCAPE IRRIGATION PLAN No. 2
*22	PHASE 1 AS-CONSTRUCTED & PHASE 2 LIGHTING AND PHOTOMETRIC PLAN
*23	SITE DETAILS
*24	RETAINING WALL PLANS & PROFILES
ARCHITECTURAL PLANS	
A201	PHASE 1 - TEMPLE PLAN - FIRST FLOOR
A202	PHASE 1 - TEMPLE PLAN - SECOND FLOOR
A203	PHASE 1 - TEMPLE PLAN - ROOF
A204	PHASE 1 - TEMPLE SECTIONS
A205	PHASE 1 - TEMPLE ELEVATIONS - EAST AND WEST
A206	PHASE 1 - TEMPLE ELEVATIONS - NORTH AND SOUTH
*A301	PHASE 2 - CULTURAL CENTER PLAN - BASEMENT
*A302	PHASE 2 - CULTURAL CENTER PLAN - FIRST FLOOR
*A303	PHASE 2 - CULTURAL CENTER PLAN - ROOF
*A304	PHASE 2 - CULTURAL CENTER SECTIONS
*A305	PHASE 2 - CULTURAL CENTER ELEVATIONS
CITY OF NOVI - STANDARD DETAILS	
*1	PAVEMENT DETAILS
*2	STORM SEWER DETAILS
*3	SANITARY SEWER DETAILS NO.1
*4	SANITARY SEWER DETAILS NO.2
*5	WATER SYSTEM DETAILS NO.1
*6	WATER SYSTEM DETAILS NO.2
*7	LANDSCAPE DETAILS
*8	DETAILS FOR PATHWAYS & BOARDWALKS

\* INDICATES PLANS INCLUDED IN THE PHASE 2 SET. ALL OTHER SHEETS INCLUDE INFORMATION THAT WAS ALREADY CONSTRUCTED IN 2010.

**WAIVER REQUEST**  
1) THE DEVELOPER WAS GRANTED A WAIVER FROM SECTION 2509(3)(a) "ADJACENT RESIDENTIAL BERM" THE PROPOSED SLOPES ALONG THE SOUTH PROPERTY LINE WILL NOT ALLOW FOR THE PLACEMENT OF A BERM WITHIN THE GREENBELT AREA. AS PROPOSED THE EMBANKMENT WILL BE CONSTRUCTED TO PROVIDE 3 TO 5' GRADE DIFFERENTIAL BETWEEN THE PROPERTY LINE AND THE PROPOSED PARKING. IN 2010 THE DEVELOPER INSTALLED A 6" HIGH BRICK WALL, TREES, AND SHRUBS TO PROVIDE THE REQUIRED SCREENING OF THE PARKING LOT MEETING THE INTENT OF THE ORDINANCE.

**VARANCE REQUEST**  
IN 2009 THE DEVELOPER WAS GRANTED A VARANCE FROM SECTION 2400 WHICH REQUIRES A 35 FOOT MAXIMUM BUILDING HEIGHT FOR THE TEMPLE BUT NOT FOR THE CULTURAL CENTER. IT IS THE INTENT THAT THE MAIN BODY OF THE 2 STORY TEMPLE IS LESS THAN 35 FEET HIGH. THE STEEPLES AND OTHER DECORATIVE ORNAMENTS OF THE BUILDINGS ARE AS HIGH AS 55'-1" FEET.

Seal & Signature:  
  
Date: 7-18-18  
Drawn By: MS  
P.E.: Matthew A. Diffin  
SCALE: AS SHOWN  
Job No.: 07065  
Sheet No.: 1 OF 24




49287 WEST ROAD  
WESTON, MI 48393  
(P) 248-437-7603  
(F) 989-960-4307

REVISIONS

CLIENT:  
Sri Venkateswara Temple and Cultural Center, Inc.  
Sri Venkateswara Cultural Center  
PIA No. 27

COVER SHEET

SECTION: 16  
TOWN 1 SOUTH, RANGE 8 EAST  
CITY OF NOVI  
OAKLAND COUNTY, MICHIGAN



NOTE: ALL WORK SHALL CONFORM TO THE CITY OF NOVI STANDARDS AND SPECIFICATIONS.

**BENCHMARKS:**  
**BENCHMARK "A"**  
 - CITY OF NOVI BENCHMARK 16-4  
 - ARROW ON DOME OF HYDRANT LOCATED ON THE NORTHWEST CORNER OF THE INTERSECTION OF GRAND RIVER AVENUE AND TAFT ROAD.  
 - ELEVATION = 959.90  
**BENCHMARK "B"**  
 - CITY OF NOVI BENCHMARK 22-2  
 - CHISELED SQUARE ON THE NORTHWEST CORNER OF 3'X2' CONCRETE BASE FOR M.B.T JUNCTION BOX LOCATED ON THE SOUTHWEST CORNER OF THE INTERSECTION OF TAFT RD AND 11 MILE RD.  
 - ELEVATION = 946.63  
**BENCHMARK "C"**  
 - FOUND RAILROAD SPIKE SET IN WEST FACE OF UTILITY POLE LOCATED ON THE EAST SIDE OF TAFT ROAD APPROXIMATELY 60' NORTH OF THE NORTHERLY PROPERTY LINE OF PROPOSED DEVELOPMENT.  
 - ELEVATION = 937.51

**FLOODPLAIN NOTE:** ACCORDING TO THE NATIONAL FLOOD INSURANCE RATE MAP COMMUNITY PANEL NUMBER 26125C0607 & 26125C0626 DATED SEPTEMBER 29, 2006, THE SUBJECT PARCEL IS LOCATED IN ZONE "X" WHICH IS DESIGNATED AS "AREA OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN".

SYMBOL	DESCRIPTION
•	SET IRON
○	FOUND IRON
—	FENCE
- - -	SILT FENCE
▨	ONSITE WETLANDS BOUNDARY
▩	SOILS BOUNDARY
○	EXISTING TREES
○	EXISTING CONTOURS

SOILS	DESCRIPTION
10B	BARLETTE SANDY LOAM, 1-8% SLOPES
11B	CAPAC SANDY LOAM, 0-4% SLOPES
12	BROOKSTON AND COLWOOD LOAMS

REMOVAL	DESCRIPTION
X X	REMOVE PIPE
- - -	SAW-CUT REMOVE CURB
○	REMOVE OBJECT
▨	REMOVE EX. BT.

**LEGAL DESCRIPTION:**  
 A PARCEL OF LAND LOCATED IN PART OF THE SOUTHEAST 1/4 OF SECTION 16, T.11N., R.8E., CITY OF NOVI, OAKLAND COUNTY, MICHIGAN MORE PARTICULARLY DESCRIBED AS FOLLOWS:  
 COMMENCING AT THE SOUTHEAST CORNER OF SECTION 16, THENCE N00°59'30"E, 662.95 FT. ALONG THE EAST LINE OF SAID SECTION 16 AND THE CENTERLINE OF TAFT ROAD (66 FT. WIDE) TO THE POINT OF BEGINNING; THENCE DUE WEST 1330.50 FT.; THENCE N00°42'50"E, 330.85 FT.; THENCE DUE EAST, 1332.08 FT. TO A POINT ON THE EAST LINE OF SAID SECTION 16; THENCE S00°59'30"W., 330.85 FT. ALONG THE EAST LINE OF SAID SECTION 16 AND THE CENTERLINE OF TAFT ROAD TO THE POINT OF BEGINNING, CONTAINING 10.11 ACRES OF LAND.  
 SIDWELL NUMBER: 22-16-451-032  
 COMMONLY KNOWN AS: 26233 TAFT ROAD

REVISIONS	SECTION: 16	DESCRIPTION
	TOWN 1 NORTH, RANGE 8 EAST	
	CITY OF NOVI	
	OAKLAND COUNTY, MICHIGAN	

*These documents are instruments of service in respect of the Project and any reuse without written verification or adoption by Diffin-Umlor Consultants (DDC) for the specific purposes intended will be at User's sole risk and without liability or legal exposure to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom. Any such verification or adaptation will entitle DDC to further compensation at rates to be agreed upon by User and DDC.*

**Sri Venkateswara Temple and Cultural Center**  
 EXISTING CONDITION  
 REMOVAL PLAN

**CLIENT:**  
 Sri Venkateswara Temple and Cultural Center, Inc.  
 29492 Valley Bend Drive  
 Farmington Hills, MI 48331

**Diffin-Umlor & ASSOCIATES**  
 Civil Engineering • Surveying • Landscaping • Construction Services

49287 WEST ROAD  
 WIXOM, MI 48393  
 (P): 248-437-7803  
 (F): 866-960-4307

Date: 7-18-18  
 Drawn By: MID  
 P.E.: Matthew A. Dillen  
 SCALE: 1 inch = 20 ft.  
 Job No.: 078005  
 Sheet No.: 2 OF 24



PHASE 1 SIGN TABLE		
SIGN #	SIGN TYPE	REQUIRED
R1-1	STOP	1
R5-1	DO NOT ENTER	4
R4-7	KEEP RIGHT	1
R6-TR	ONE WAY	1
R7-8	RESERVED PARKING	16
R7-8A	VAN ACCESSIBLE	8
R8-3A	NO PARKING	2
RT-9A MOD	NO PARKING FIRE LANE	13
R9-9 MOD	SIDEWALK ENDS	1

NOTE  
ALL SIGNS SHOWN ARE EXISTING ALL NEW SIGNS (IF ANY) SHALL COMPLY WITH CURRENT MUTCD STANDARDS.  
All signs shall have a minimum bottom mounting height of 7' from final grade for ground mounted signs. Wall mounted signs may have a bottom mounting height of 5'.


All roadside signs should be installed two feet from the face of the curb to the near edge of the sign.

Single signs with nominal dimensions of 12" x 18" or smaller in size shall be mounted on a galvanized 2 lb. U-channel post. Multiple signs and/or signs with nominal dimension greater than 12" x 18" shall be mounted on a galvanized 3 lb. or greater U-channel post as dictated by the weight of the proposed signs.

Traffic control signs shall use the FHWA Standard Alphabet series.

Traffic control signs shall have High Intensity Prismatic (HIP) sheeting to meet FHWA retroreflectivity requirements.

PARCEL ID: 50-22-16-451-046  
ACREAGE: ±8.03 AC  
ZONED: O3T  
SECURE DEVELOPMENT PROPERTIES, LLC  
42759 GRAND RIVER  
CITY OF NOVI, MI 48374  
OAKLAND COUNTY



PARCEL ID: 50-22-16-451-034  
ACREAGE: ±8.09 AC  
ZONED: R-1  
BASILIAN FATHERS OF MILFORD  
26955 TAFT RD  
CITY OF NOVI, MI 48374  
OAKLAND COUNTY

HATCHING DENOTES LIMITS OF EXISTING CONSERVATION AREAS

### SITE DATA

EXISTING ZONING	RA
GROSS SITE AREA	10.11 ACRES
PREVIOUSLY DEDICATED TAFT RD. R.O.W.	0.46 ACRES
NET SITE AREA	9.65 ACRES
EXISTING WETLANDS	±1.425 ACRES
EXISTING WETLAND DISTURBANCE	±0.164 ACRES
EXISTING WOODLAND TREES	±2.64
EXISTING WOODLAND TREES REMOVED	147
EXISTING BUILDING AREA	24,283-SF
PROPOSED BUILDING AREA	24,136-SF
LOT COVERAGE (MAX. 25%)	11.52%
PROPOSED HEIGHT OF BUILDING	35'-0"
EXISTING PAVEMENT AREA	132,018-SF
<b>BUILDING SETBACKS</b>	<b>REQUIRED PROVIDED</b>
TAFT ROAD SETBACK	75' 75'
WEST SETBACK PROP. LINE	50' 251.86'
NORTH SETBACK PROP. LINE	75' 114.50'
SOUTH SETBACK PROP. LINE	75' 78'
<b>PARKING SETBACKS</b>	<b>REQUIRED PROVIDED</b>
TAFT ROAD SETBACK	75' 75'
WEST SETBACK PROP. LINE	35' 155.03'
NORTH SETBACK PROP. LINE	20' 20'
SOUTH SETBACK PROP. LINE	35' 35'

### REQUIRED PARKING

THE PRAYER HALL WILL PROVIDE AN OCCUPANCY 1 PERSON / 7 SQ. FT. (BASED ON THE EQUIVALENT OF PEOPLE SITTING IN CHAIRS) AND THE MULTI-PURPOSE ROOM WILL PROVIDE AN OCCUPANCY OF 1 PERSON / 15 SQ. FT. (BASED ON THE EQUIVALENT OF PEOPLE SITTING AT TABLES AND CHAIRS)

WITH ONE PARKING SPACE FOR EVERY THREE OCCUPANTS OF BOTH OF THE ROOMS COMBINED A TOTAL OF 305 PARKING SPACES WOULD BE REQUIRED (PRAYER HALL REQUIRES 194 SPACES AND THE MULTI-PURPOSE ROOM REQUIRES 112 SPACES).

SIMULTANEOUS USE OF TEMPLE AND THE CULTURAL CENTER HAS BEEN RESTRICTED PER THE DEVELOPER'S AGREEMENT WITH THE CITY.

<b>PROVIDED PARKING</b>	
HANDI CAP SPACES	12
STANDARD SPACES	294
TOTAL SPACES	306-SPACES
PROVIDED PHASE 1 PARKING =	306 SPACES

NOTE: ALL WORK SHALL CONFORM TO THE CITY OF NOVI STANDARDS AND SPECIFICATIONS.

### LEGAL DESCRIPTION:

A PARCEL OF LAND LOCATED IN PART OF THE SOUTHEAST 1/4 OF SECTION 16, T.1.N., R.8.E., CITY OF NOVI, OAKLAND COUNTY, MICHIGAN MORE PARTICULARLY DESCRIBED AS FOLLOWS:  
COMMENCING AT THE SOUTHEAST CORNER OF SECTION 16, THENCE N00°59'30"E, 662.95 FT.  
ALONG THE EAST LINE OF SAID SECTION 16 AND THE CENTERLINE OF TAFT ROAD (66 FT. WIDE) TO THE POINT OF BEGINNING; THENCE DUE WEST 1330.50 FT.; THENCE N00°42'50"E, 330.85 FT.; THENCE DUE EAST, 1332.08 FT. TO A POINT ON THE EAST LINE OF SAID SECTION 16; THENCE S00°59'30"W, 330.85 FT. ALONG THE EAST LINE OF SAID SECTION 16 AND THE CENTERLINE OF TAFT ROAD TO THE POINT OF BEGINNING, CONTAINING 10.11 ACRES OF LAND.

SIDWELL NUMBER: 22-16-451-032  
COMMONLY KNOWN AS: 26233 TAFT ROAD

### FIRE DEPARTMENT NOTES:

ALL WEATHER ACCESS ROADS CAPABLE OF SUPPORTING 35 TONS SHALL BE PROVIDED FOR FIRE APPARATUS ACCESS PRIOR TO CONSTRUCTION ABOVE THE FOUNDATION.

ALL WATER MAINS AND FIRE HYDRANTS ARE TO BE INSTALLED AND BE IN SERVICE PRIOR TO CONSTRUCTION ABOVE THE FOUNDATION.

THE BUILDING ADDRESS IS TO BE POSTED FACING THE STREET THROUGHOUT CONSTRUCTION. THE ADDRESS IS TO BE AT LEAST 3 INCHES HIGH ON A CONTRASTING BACKGROUND.

THE LOCATION OF THE FIRE DEPARTMENT CONNECTIONS ON THE TEMPLE AND CULTURAL CENTER SHALL BE COORDINATED BETWEEN THE ARCHITECT, THE SPRINKLER DESIGNER, AND THE FIRE DEPARTMENT. THEY SHALL BE IN AN ACCESSIBLE LOCATION ON THE FRONT/ADDRESS SIDE OF THE BUILDING AND WITHIN 100' OF THE HYDRANT.

Seal & Signature:

### REVISIONS

NO.	DATE	DESCRIPTION

SECTION: 16

TOWN 1 NORTH, RANGE 8 EAST

CITY OF NOVI

OAKLAND COUNTY, MICHIGAN

These documents are instruments of service in respect of the Project and any issue without written verification or adaptation by Diffin/Umlor Consultants (DDC) for the specific purposes intended will be at Users sole risk and without liability or legal exposure to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom, any such verification or adaptation will entitle DDC to further compensation at rates to be agreed upon by User and DDC.

*Sri Venkateswara Temple and Cultural Center*  
SITE PLAN




CLIENT:

*Sri Venkateswara Temple and Cultural Center, Inc.*  
29482 Valley Bend Drive  
Farmington Hills, MI 48331

**DU Diffin-Umlor & ASSOCIATES**  
Civil Engineering • Surveying • Landscaping • Construction Services

49287 WEST ROAD  
WIXOM, MI 48393  
(P) 248-437-7803  
(F) 866-860-4307

DATE: 7-18-18  
Drawn By: MD  
Checked By: A. Diffin  
SCALE: 1 inch = 40 ft.  
SHEET NO. 03/05  
5 OF 24




- TREE FENCE NOTE:**
1. EITHER PLASTIC OR WOOD ORANGE SNOW FENCING SHALL BE INSTALLED AT OR BEYOND THE DISPLINE. UNLESS MORE SUBSTANTIAL FENCING IS REQUIRED.
  2. STAKES SHALL BE METAL T" POLES SPACED NO FURTHER APART THAN 5' ON CENTER.
  3. FENCING SHALL NOT BE INSTALLED CLOSER TO THE TREE THAN THE DISPLINE OF THOSE TREES TO BE SAVED. SPECIAL CIRCUMSTANCES SHALL BE REVIEWED BY THE CITY.
  4. ALL FENCING SHALL BE ERECTED PRIOR TO CONSTRUCTION. THE CITY SHALL BE NOTIFIED ONCE THE FENCING IS INSTALLED FOR INSPECTION.
  5. UNDER NO CIRCUMSTANCES SHALL THE PROTECTIVE FENCING BE REMOVED WITHOUT PROPER APPROVAL FROM THE CITY.
  6. NO PERSON SHALL CONDUIT ANY ACTIVITY WITHIN THE AREAS PROPOSED TO REMAIN. THIS SHALL INCLUDE, BUT NOT LIMITED TO: a) NOSOLVENTS OR CHEMICALS WITHIN PROTECTIVE AREA. b) NO BUILDING MATERIALS OR CONSTRUCTION EQUIPMENT WITHIN THE PROTECTED AREA. c) NO GRADE CHANGES, INCLUDING FILL, WITHIN PROTECTIVE AREA. d) NO REMOVAL OF VEGETATION FROM THE GROUND UP WITHOUT PERMISSION FROM THE PROPER REVIEWING AUTHORITY, INCLUDING THE WOODLANDS REVIEW BOARD. e) ANY REQUIRED SWALES ARE APPROVED THROUGH A PROTECTED AREAS. IN INSTANCES WHERE SWALES ARE APPROVED THROUGH THE PROTECTED AREA, THE SWALES NEED TO BE HAND DUG, MACHINERY OF ANY KIND IS PROHIBITED.
  7. REGULATED WOODLANDS OR REGULATED TREES ADJACENT TO THE PROPERTY ARE ALSO REQUIRED TO BE PROTECTED WHETHER OR NOT THEY ARE SHOWN ON THE PLAN.

**NOTE:** INSTALLATION OF SILT FENCING OR TREE PROTECTION FENCING SHALL NOT OCCUR PRIOR TO THE INITIAL CITY PRE-CONSTRUCTION MEETING. WHEN NATURAL FEATURES EXIST ON THE SITE, INSPECTION OF STAKING MAY BE REQUIRED PRIOR TO INSTALLATION OF THE FENCING.

**LEGEND**

0	GUTTER
02	OUTSIDE ELEVATION
07	TOP OF WALL
08	BOTTOM OF WALL
10	TOP OF SET
15	TOP OF CURB
16	TOP OF GRAVEL
18	TOP OF WALK
20	BRINK DITCH
30	BOTTOM DITCH
47	TOP OF BERM
48	FRESH FLOOR
50	PROP. MAJOR CONTOUR
61	PROP. MINOR CONTOUR



**EROSION CONTROL MEASURES**

7	CONSTRUCTION SLOPE PROTECTION
15	CONSTRUCTION SLOPE PROTECTION
16	CONSTRUCTION SLOPE PROTECTION
36	CONSTRUCTION SLOPE PROTECTION
40	CONSTRUCTION SLOPE PROTECTION
49	CONSTRUCTION SLOPE PROTECTION
54	CONSTRUCTION SLOPE PROTECTION

**CONSTRUCTION SPECIFICATIONS**

DEC 2008 - DEC 2009

PRIOR TO CONSTRUCTION

IDENTIFY CONSTRUCTION LIMITS

INSTALL S&T FENCE

MARKET AND REMOVE CURBING

REMOVE EXISTING VEGETATION

CONTRACT TIME ACCESS DRIVE

MAINTAIN CONTROL MEASURES

CONTRACT UTILITIES BUILDING

PAVE LOT, CONSTRUCT CURBING

FINAL GRADING, INSTALL SIDEWALK

SEE RESTORATION AND LANDSCAPING

AFTER DISTURBED AREAS HAVE STABILIZED

- VIOLATIONS/CITATIONS**
1. Routine inspections will be performed on your project by the City of Novi or its agent once a week.
  2. Upon completion of inspection, the site is found not in compliance with the City of Novi Soil Erosion and Sedimentation Control Ordinance, then the Permit Holder/Signer will be issued a "Notice to Stop Work" or a "Notice of Corrective Action" letter. The site shall be returned to the City of Novi for additional inspection, reworking and report follow-up. The letter mentioned activities must take place within 24 hours upon receipt of the letter. After the hearing, the project/development may be issued a "Work" order.
  3. If all of the items have not been addressed after the elapsed time specified, the Permit Holder/Signer will receive a "Non-Compliance" letter, which will require a "Notice to Stop Work" order.
  4. Upon receipt of the "Non-Compliance" letter and "Notice to Stop Work" order, the Permit Holder/Signer will attend a Show Cause Hearing as well as pay a re-inspection fee in the amount of \$750.00 to the City of Novi for additional inspection, reworking and report follow-up. The letter mentioned activities must take place within 24 hours upon receipt of the letter. After the hearing, the project/development may be issued a "Work" order.
  5. If a permit is issued to the Permit Holder/Signer after the Show Cause Hearing, an additional \$400.00 will be paid to the City of Novi, for follow-up inspections, reworking and other actions required. - \$1.5 PER LINE.

**SOILS LEGEND**

SYMBOL	DESCRIPTION
10B	MARLETTE SANDY LOAM, 1-6% SLOPES
11B	CAPAZ SANDY LOAM, 0-4% SLOPES
12	BROOKSTON AND COLWOOD LOAMS

**NOTE:** ALL WORK SHALL CONFORM TO THE CURRENT CITY OF NOVI STANDARDS & SPECIFICATIONS.

Seal & Signature:

**REVISIONS**


SECTION: 16  
TOWN 1 NORTH, RANGE 8 EAST  
CITY OF NOVI  
OAKLAND COUNTY, MICHIGAN

These documents are instruments of service in respect of the Project and any reuse without written verification or adaptation by DDM Consultants/Consultants (DDC) for the specific purposes intended will be at User's sole risk and without liability or legal exposure to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom. Any such verification or adaptation will entitle DDC to further compensation at rates to be agreed upon by User and DDC.

**Sri Venkateswara Temple and Cultural Center**  
SITE GRADING \ SOIL EROSION CONTROL PLAN  
NO. 1

CLIENT:  
**Sri Venkateswara Temple and Cultural Center, Inc.**  
29482 Valley Bend Drive  
Farmington Hills, MI 48331

**Diffin-Umlor & ASSOCIATES**  
Civil Engineering • Surveying • Landscaping • Construction Services

48287 WEST ROAD  
WIXOM, MI 48393  
(P) 248-437-7803  
(F) 866-960-4307

**RECORD DRAWING BY:**  
**SPALDING DeDECKER ASSOCIATES, INC.**

DRAWN: N/DEPLE  
 DATE: 02-25-13  
 CHECKED: C/CLAMP  
 DATE: 02-25-13  
 PROJECT MANAGER: M.DeDecker  
 DEPARTMENT MANAGER: J.Gillett



**RUNOFF COEFFICIENT:**

**AREA #5**  
 TOTAL AREA = 1.74 ACRES  
 PAVEMENT = 1.5 ACRES X 0.95 = 1.425  
 LAWN = 0.24 X 0.35 = 0.084  
 C' = (1.425 + 0.084) / 1.74 = 0.86



**AREA #6**  
 TOTAL AREA = 0.347 ACRES  
 BUILDING = 0.275 ACRES X 0.95 = 0.33  
 C' = 0.33 / 0.346 = 0.95

**AREA 5&6**  
 TOTAL AREA = 2.087 ACRES  
 C' = (1.740+0.86)+(0.347+0.95)/2.087 = 0.875

**AREA #7**  
 TOTAL AREA = 0.42 ACRES  
 PAVEMENT = 0.275 ACRES X 0.95 = 0.261  
 LAWN = 0.145 X 0.35 = 0.051  
 C' = (0.261 + 0.051) / 0.42 = 0.74

Pre-development runoff =  $Q_{10} = 10\text{-ACRES} \times 0.35 \times 3.89\text{IN}/\text{HR} = 13.615\text{-cfs}$   
 Post-development runoff =  $(0.86\text{-ACRES} \times 0.15) + (0.34\text{-ACRES} \times 0.15) + (0.93\text{-ACRES} \times 0.35 \times 3.89\text{IN}/\text{HR}) = 7.48\text{-cfs} < 13.615\text{-cfs}$


**LEGEND**




**STRUCTURE CASTING SCHEDULE**

(2) EJIW 1040 TYPE "B"


OUTLET #100	EJIW 1040 TYPE "B"
MH #101	EJIW 1040 TYPE "B"
MH #102	EJIW 1040 TYPE "B"
CB #103	EJIW 1040 TYPE 02 BEEHIVE
CB #104	EJIW 1040 TYPE 02 BEEHIVE



OUTLET STRUCTURE #100 DETAIL



SECTION C-C STORM OUTLET RIP-RAP



BIORETENTION RAIN GARDEN CROSS SECTION

**NOTE:**  
 ALL WORK SHALL CONFORM TO THE CURRENT CITY OF NOVI STANDARDS & SPECIFICATIONS.

**REVISIONS**

7-8-08	REVISED PER CITY'S 4-10-08 REVIEW COMMENTS	11-14-08	REV. PER CITY'S SHOP DRAWING REVIEW
10-8-08	REVISED PER CITY'S 8-27-08 REVIEW COMMENTS	7-1-10	REV. STORM DETENTION SYSTEM
1-29-09	REVISED PER ZBA & OWNER'S COMMENTS	9-1-10	REV. ADDED STORM C.O. BETWEEN ST#101 & CB#103
4-13-09	REVISED PER CITY'S 2-13-09 REVIEW COMMENTS		
6-01-09	REVISED PER CITY'S 5-18-09 REVIEW COMMENTS		
9-02-09	REVISED PER CITY'S 8-10-09 REVIEW COMMENTS		
10-09-09	REVISED PER SILTY FENCE STAKING REVIEW		

**SECTION: 16**

TOWN 1 NORTH, RANGE 8 EAST

CITY OF NOVI

OAKLAND COUNTY, MICHIGAN

*These documents are instruments of service in respect of the Project and any reuse without written verification or adoption by Diffin Development Consultants (DDC) for the specific purposes intended will be at User's sole risk and without liability or expense including attorney's fees arising out of or resulting therefrom. Any such verification or adoption will entitle DDC to further compensation at rates to be agreed upon by User and DDC.*

**Sri Venkateswara Temple and Cultural Center**

STORM WATER MANAGEMENT PLAN NO. 1

**CLIENT:**  
 Sri Venkateswara Temple and Cultural Center, Inc.  
 29482 Valley Bend Drive  
 Farmington Hills, MI 48331

**DDC**

**DIFFIN Development Consultants**

CIVIL ENGINEERING \*SURVEYING \*CONSTRUCTION SERVICES

24353 TARA DRIVE, SOUTH LYON MICHIGAN 48178  
 PH: (248) 943-8244, FAX: (866) 690-4307  
 WEB: www.diffindevelopment.com

Date: 9-1-10  
 Drawn By: JGD  
 P.E. Matthew A. Diffin

SCALE: HORIZ. 1"=30'-0"  
 VERT. 1"=4'-0"

Job No.: 070856  
 Sheet No.: 9 OF 24






**RUNOFF COEFFICIENT:**  
 AREA #1  
 TOTAL AREA = 1.07 ACRES  
 PAVEMENT = 0.815 ACRES X 0.95 = 0.772  
 LAWN = 0.2568 X 0.35 = 0.090  
 C' = (0.772 + 0.09) / 1.07 = 0.81

AREA #2  
 TOTAL AREA = 0.386 ACRES  
 BUILDING = 0.386 ACRES X 0.95 = 0.367  
 C' = 0.367 / 0.386 = 0.95

AREA #3  
 TOTAL AREA = 0.42 ACRES  
 PAVEMENT = 0.277 ACRES X 0.95 = 0.26  
 LAWN = 0.143 X 0.35 = 0.050  
 C' = (0.26 + 0.05) / 0.42 = 0.74

AREA #4  
 TOTAL AREA = 0.681 ACRES  
 BUILDING = 0.488 ACRES X 0.95 = 0.464  
 LAWN = 0.193 X 0.35 = 0.068  
 C' = (0.464 + 0.068) / 0.681 = 0.78

OVERALL AREA 1-4  
 TOTAL AREA = 2.556 ACRES  
 C' = (1.07x0.81)+(0.386x0.95)+(0.42x0.74)+(0.68x0.7)/2.556 = 0.812





REVISIONS	SECTION: 16
7-8-08 REVISED PER CITY'S 4-10-08 REVIEW COMMENTS	2-26-10 REVISED PER MANYAM'S FINAL DESIGN
10-4-09 REVISED PER CITY'S 8-12-09 REVIEW COMMENTS	TOWN 1 NORTH, RANGE 8 EAST
1-29-09 REVISED PER ZBA & OWNERS COMMENTS	CITY OF NOVI
4-13-09 REVISED PER CITY'S 2-13-09 REVIEW COMMENTS	OAKLAND COUNTY, MICHIGAN
6-01-09 REVISED PER CITY'S 5-18-09 REVIEW COMMENTS	
9-02-09 REVISED PER CITY'S 8-1-09 REVIEW COMMENTS	
11-14-09 REVISED PER CITY'S 11-12-09 SHOP DRAWING REVIEW	

40/59 GRAND RIVER  
 CITY OF NOVI, MI 48374  
 OAKLAND COUNTY

**RECORD DRAWING BY:**  
 SPALDING DEBECKER  
 ASSOCIATES, INC.

DESIGNED	DATE
NOV/08	02-25-13
CHECKED	DATE
C.SAPP	02-25-13
PROJECT MANAGER	DEPARTMENT
M.DeBECKER	G.PLATZ



**NOTE:**  
 ALL WORK SHALL CONFORM TO THE CURRENT CITY OF NOVI STANDARDS & SPECIFICATIONS.

**NOTE:**  
 SEE SHEET 11 OF 24 FOR DETAILED DETENTION CALCULATIONS.

PARCEL ID: 50-22-16-451-034  
 ACREAGE: ±8.00 AC  
 ZONED: R-1  
 INHEE, HAN  
 TAFT RD  
 CITY OF NOVI, MI 48374  
 OAKLAND COUNTY

**STRUCTURE CASTINGS SCHEDULE**

OUTLET #105	EAW 1040 TYPE 02 BEDLINE
CB #106	EAW 1040 TYPE 02 BEDLINE
CB #107	EAW 1040 TYPE 02 BEDLINE
MH #108	EAW 1040 TYPE "M"
CB #109	EAW 1040 TYPE 02 BEDLINE
CB #110	EAW 1040 TYPE 02 BEDLINE
CB #111	EAW 1040 TYPE 02 BEDLINE

**CULVERT CALCULATIONS:**  
 DRAINAGE AREA = ±320 ACRES  
 320 ACRES x 0.2-CFS/ACRE = 64-CFS  
 8'-9" x 2'-6" CULVERT CROSS SECTIONAL AREA = 18.4 SQ. FT.


**Culvert Calculator**

Entered Data:  
 Shape ..... Rectangular  
 Number of Barrels ..... 1  
 Soling for ..... Headwater  
 Chart Number ..... 1  
 Scale Number ..... 1  
 Chart Description ..... CONCRETE PIPE CULVERT; NO BEVELLED RING ENTRANCE  
 Scale Description ..... SQUARE EDGE ENTRANCE WITH HEADWALL  
 Overlapping ..... Off  
 Flowrate ..... 64.0000 cfs  
 Manning's n ..... 0.0240  
 Roadway Elevation ..... 947.0000 ft  
 Inlet Elevation ..... 942.2000 ft  
 Outlet Elevation ..... 941.4000 ft  
 Height ..... 30.0000 ft  
 Width ..... 91.2000 ft  
 Length ..... 88.0000 ft  
 Entrance Loss ..... 0.0000  
 Tailwater ..... 941.4000 ft

Computed Results:  
 Headwater ..... 0.0000 ft  
 Slope ..... 0.0091 ft/ft  
 Velocity ..... 0.0000 fps  
 Tailwater must be < the roadway height.


**Messages:**  
 Tailwater must be < the roadway height.

DIS-CHARGE WATER CONTROL	HEAD-DEPTH	INLET-DEPTH	CONTROL FLOW DEPTH	NORMAL FLOW DEPTH	CRITICAL FLOW DEPTH	OUTLET FLOW DEPTH	TAILWATER VELOCITY
Flow	ft	ft	ft	ft	ft	ft	ft
12.80	942.86	0.65	0.00	NA	5.93	5.34	3.41
25.60	943.27	1.07	0.00	NA	9.22	8.48	0.77
38.40	943.62	1.42	0.00	NA	11.99	11.11	5.06
51.20	943.94	1.74	0.00	NA	14.50	13.46	6.56
64.00	944.25	2.05	0.00	NA	16.83	15.62	8.01
76.80	944.55	2.35	0.00	NA	19.03	17.64	6.37
89.60	944.85	2.65	0.00	NA	21.15	19.54	6.69
102.40	945.14	2.94	0.00	NA	23.19	21.36	6.97
115.20	945.40	3.23	0.00	NA	30.00	30.00	6.06
128.00	945.67	3.47	0.00	NA	30.00	30.00	6.74
140.80	946.05	3.85	0.00	NA	30.00	30.00	7.41
153.60	946.46	4.26	0.00	NA	30.00	30.00	8.08
166.40	946.92	4.72	0.00	NA	30.00	30.00	8.76




Seal & Signature:

<p>These documents are instruments of service in respect of the Project and any reuse without written verification or adaptation by Diffin Development Consultants (DDC) for the specific purposes intended will be at User's sole risk and without liability or legal recourse to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorney's fees arising out of or resulting therefrom. Any such verification or adaptation will entitle DDC to further compensation at rates to be agreed upon by User and DDC.</p>	<p><b>Sri Venkateswara Temple and Cultural Center</b>        STORM WATER MANAGEMENT PLAN NO. 2</p>	<p>CLIENT:  <b>Sri Venkateswara Temple and Cultural Center, Inc.</b>        29482 Valley Bend Drive        Farmington Hills, MI 48331</p>	<p><b>DDC</b>  <b>DIFFIN Development Consultants</b>        CIVIL ENGINEERING • SURVEYING • CONSTRUCTION SERVICES        24353 TARA DRIVE, SOUTH LYON, MICHIGAN 48178        PH: (248) 943-8244, FAX: (866) 690-4307        WEB: www.diffindevelopment.com</p>	<p>Date: 5-26-10        Drawn By: MD        P.E. Matthew A. Duffin        SCALE: 1/8" = 1'-0"        Job No.: 070835        Sheet No.: 10 OF 24</p>
---	--	---	--	---



**TOTAL REQUIRED DETENTION VOLUME FOR AREAS 5 & 6 = 6654-CFT**  
**36" DIA = 804-LF x 1.5'-2 x 3.14 = 5680-CFT**  
**24" DIA = 345-LF x 1'-2 X 3.14 = 1083-CFT**  
**TOTAL PROVIDED VOLUME = 6763-CFT**



**NOTE:**  
 ALL WORK SHALL CONFORM TO THE CURRENT CITY OF NOVI STANDARDS & SPECIFICATIONS.

Allowable Discharge 12" = 0.15-0.16 in/s = 0.15 x 8.8 = 1.32 in/s

Area No.	#1 (Storm) Area (SqFt)	Weighted 1/2" Volume (CFT)	Revised Volume (CFT)	Bank Full Volume (CFT)	Detention Area (SqFt)	Depth (ft)	Volume (CFT)
1	1,07	0.15	0.15	1,633	4,472	2.00	408
2	1,08	0.16	0.16	1,666	4,505	2.00	412
3	1,42	0.27	0.27	2,104	5,299	1.40	1,483
4	1,68	0.48	0.48	2,462	6,157	1.20	1,285
5	1,14	1.16	1.16	1,218	4,963	2.00	997
6	1,347	0.347	0.36	1,701	4,571	2.00	913
7	1,42	0.25	0.25	1,604	4,329	2.00	868

Area 1 - Rain Garden Storage Analysis	Area 4 - Rain Garden Storage Analysis	Area 5 - Rain Garden Storage Analysis	Area 7 - Detention Area Storage Analysis
Elevation	Area (sq ft)	Area (sq ft)	Area (sq ft)
945.0	324	0	0
947.0	4,010	1,420	2,087
First Flush Detention Elevation	943.54	943.54	943.54

<b>RECORD DRAWING BY:</b>	
SPALDING DEDECKER ASSOCIATES, INC.	
DATE	10-25-13
DRAWN BY	MD
CHECKED BY	MD
DATE	02-25-13
PROJECT MANAGER	M. DEDECKER
DEPARTMENT MANAGER	G. PLATZ

FOR CONSTRUCTION



<b>REVISIONS</b> 7-9-08 REVISED PER CITY'S 4-10-08 REVIEW COMMENTS 4-13-09 REVISED PER CITY'S 2-13-09 REVIEW COMMENTS 6-01-09 REVISED PER CITY'S 5-18-09 REVIEW COMMENTS 9-02-09 REVISED PER CITY'S 9-1-09 REVIEW COMMENTS 10-09-09 REVISED PER SILENCE STAKING REVIEW 11-14-09 REVISED PER CITY'S SHOP DRAWING REVIEW 5-26-10 REVISED PER MANYAM'S FINAL DESIGN	<b>SECTION: 16</b> <b>TOWN 1 NORTH, RANGE 8 EAST</b>  CITY OF NOVI  OAKLAND COUNTY, MICHIGAN	These documents are Instruments of service in respect of the Project and any notes without written verification or adoption by Diffin Development Consultants (DDC) for the specific purposes intended will be at User's sole risk and without liability or legal recourse to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorney's fees arising out of or resulting therefrom. Any such verification or adoption will entitle DDC to further compensation at rates to be agreed upon by User and DDC.	<b>Sri Venkateswara Temple and Cultural Center</b> <b>STORM SEWER PROFILES &amp; CALCULATIONS</b>	<b>CLIENT:</b> <b>Sri Venkateswara Temple and Cultural Center, Inc.</b> 29482 Valley Bend Drive Farmington Hills, MI 48331	<b>DDC</b> <b>DIFFIN Development Consultants</b> <b>CIVIL ENGINEERING • SURVEYING • CONSTRUCTION SERVICES</b> 24353 TARA DRIVE, SOUTH LYON, MICHIGAN 48178 PH: (248) 943-8244, FAX: (866) 690-4307 WEB: www.diffdevelopment.com	Date: 7-1-10 Drawn By: MD P.E. Matthew A. Diffin SCALE: 1/8" = 1'-0" Job No.: 07085 Sheet No. 11 OF 24
---	---	--	--	---	--	---






NOTE:  
ALL SOIL EROSION MEASURES SHALL BE INSTALLED AND INSPECTED PRIOR TO THE START OF CONSTRUCTION.

NOTE:  
COMPACTED SAND BACKFILL SHALL BE PROVIDED FOR ALL UTILITIES WITHIN THE INFLUENCE OF PAVED AREAS. SEE CITY OF NOVI STANDARD DETAILS AND SPECIFICATION FOR MATERIAL AND COMPACTION REQUIREMENTS.

WATERMAIN CONSTRUCTION MATERIALS		
SIZE	TYPE	REQUIRED
8 INCH	CL-54 DUCTILE IRON	331-LF
6 INCH	CL-54 DUCTILE IRON	22-LF
8X6 INCH	TEE	2
6 INCH	VALVE AND BOX	2
6 INCH	HYDRANT	2
8 INCH	VALVE & WELL	2
8 INCH	PLUG	2



LEGEND	
SYMBOL	DESCRIPTION
•	CLEAN OUT
⊙	SANITARY SEWER
—○—	WATER MAIN \ HYDANT \ VALVE
—○—	STORM SEWER
□	STM. CATCH BASIN
⊠	ELEC. RISER
⊞	ELEC. TRANSFORMER
⊙	LIGHT POLE
⊙	ELECTRIC
⊙	UTILITY POLE
—○—	GAS
⊙	SION
⊙	FOUND IRON
⊙	SET IRON
⊙	FENCE
*****	SILT FENCE

NOTE:  
ALL WORK SHALL CONFORM TO THE CURRENT CITY OF NOVI STANDARDS & SPECIFICATIONS

RECORD DRAWING BY:  
SPALDING DeDECKER  
ASSOCIATES, INC.

PREPARED	DATE
CS/SAPP	10-25-13
CHECKED	DATE
MM/DECKER	10-25-13
PROJECT MANAGER	DEPARTMENT/SUPV
MM/DECKER	S. PLATZ



**72 HOURS  
(3 WORKING DAYS)  
BEFORE YOU DIG  
CALL MISS DIG  
800-482-7171  
(TOLL FREE)**



SECTION 16  
TOWN 1 NORTH, RANGE 8 EAST  
CITY OF NOVI  
OAKLAND COUNTY, MICHIGAN

Date: 6-9-10  
Drawn By: MD  
P.E. Matthew A. Duffin  
Scale: Horiz. 1" = 40'  
Vert. 1" = 10'

Job No.: 070809  
Sheet No.: 15 OF 24


**DIFFIN Development Consultants**  
CIVIL ENGINEERING \ SURVEYING \ CONSTRUCTION SERVICES  
24353 TARA DRIVE, SOUTH LYON, MICHIGAN 48178  
PH: 588-9400 FAX: 588-4307  
WWW.DIFFINENGINEERING.COM



REVISIONS  
REVISED PER CITY'S 5-18-09 REVIEW  
REVISED WATER & FIRE SERVICE 6-8-10

CLIENT: Sri Venkateswara Temple and Cultural Center, Inc.  
WATER MAIN PLAN & PROFILE NO. 4

These documents are instruments of service prepared by the engineer or architect or other professional person in accordance with the provisions of the laws of the State of Michigan. The engineer, architect or other professional person is not responsible for the accuracy or completeness of the information furnished to him or her by the client or for the consequences of any reliance placed on the information furnished by him or her. The engineer, architect or other professional person is not responsible for the accuracy or completeness of the information furnished to him or her by the client or for the consequences of any reliance placed on the information furnished by him or her.




RECORD DRAWING BY:  
SPALDING DeDECKER  
ASSOCIATES, INC.

PROJECT	DATE
N. POOLE	02-25-13
DRAWN	DATE
C. SAPP	02-25-13
PROJECT MANAGER	DEVELOPMENT MANAGER
M. DeDECKER	G. PLATZ

**LEGEND**

SYMBOL	DESCRIPTION
○	CLEAN OUT
—○—	SANITARY SEWER
—○—	WATER MAIN \ HYDANT \ VALVE
—○—	STORM SEWER
□	STM. CATCH BASIN
□	ELEC. RISER
□	ELEC. TRANSFORMER
○	LIGHT POLE
○	ELECTRIC
○	UTILITY POLE
○	GRG
○	SOI
○	FOUND IRON
○	SET IRON
○	FENCE
○	SILT FENCE



**BASIS OF DESIGN**

Church:  
Temple Prayer Hall = ±582 seats  
0.008 per seat (unit assignment factor per Oakland Co.)  
Equivalent units = 582 x 0.008 = 4.656  
Flow = 400 gpd x 3.2 x 4.656 = 5980 gpd

Multi Purpose Room (Banquet Hall) = ±5040-sf (441 seats)  
0.13 per seat x 25% (unit assignment factor per Oakland Co.)  
Equivalent units = 441 seats x 0.13 x 0.25 = 14.33  
Flow = 400 gpd x 3.2 x 14.33 = 18,342 gpd

Total Flow = 24,342 gpd or 16.89 gpm  
Capacity 8" pipe diameter @ 0.004 Minimum slope = 405 gpm

Flow Comparison:  
Design Flow (16.89 gpm) < Sewer Capacity (405 gpm/min)  
Note: water system flows will equal sewer systems flow + irrigation

**SANITARY SEWER CONSTRUCTION MATERIALS**

SIZE	TYPE	REQUIRED
6 INCH	SDR-23.5 PVC	175-LF
6 INCH	SANITARY CLEAN OUT	1
8 INCH	SDR-26 PVC	772-LF
48 INCH	MANHOLE	1

**NOTE:**  
ALL WORK SHALL CONFORM TO THE CITY OF NOVI  
STANDARDS & SPECIFICATIONS.



**72 HOURS  
(3 WORKING DAYS)  
BEFORE YOU DIG  
CALL MISS DIG  
800-482-7171  
(TOLL FREE)**

**UTILITY CROSSING TABLE:**

STATION	STORM INV.	SAN. INV.	VM INV.	PROVIDED SEPARATION
3+57	938.70	935.54		±2.46'
7+03	942.20	938.77		±2.72'
8+36	942.80	940.76		±1.54'

Seal & Signature

**DIFFIN Development Consultants**  
CIVIL ENGINEERING SURVEYING CONSTRUCTION SERVICES  
24353 TARA DRIVE, SOUTH LYON, MICHIGAN 48178  
PH: 586-946-9400 (CELL) 586-980-4307  
WWW.DIFFINCONSULTANTS.COM

**DDC**

REVISIONS

REVISED PER CITY'S 5-18-09 REVIEW

REVISED PER CITY'S 9-1-09 REVIEW

CLIENT: Sri Venkateswara Temple and Cultural Center, Inc.

**SANITARY SEWER PLAN & PROFILE**

These documents are instruments of service prepared by the undersigned in accordance with the provisions of the Professional Engineers Act of 1978, and shall be of no effect unless they are accompanied by the undersigned's seal and signature. The undersigned hereby certifies that he/she is a duly licensed Professional Engineer in the State of Michigan and is duly qualified to perform the services herein. The undersigned hereby certifies that he/she is not providing any such services to any other party within the State of Michigan at the same time as the services herein. The undersigned hereby certifies that he/she is not providing any such services to any other party within the State of Michigan at the same time as the services herein.


SECTION 16  
TOWN 1 NORTH, RANGE 8 EAST  
CITY OF NOVI  
OAKLAND COUNTY, MICHIGAN

Date: 9-2-09  
Drawn By: MD  
P.E. Matthew A. Diffin  
Scale: Horiz. 1" = 40'  
Vert. 1" = 20'  
Job No.: 010809  
Sheet No.: 16 OF 24

PARCEL ID: 50-22-16-451-046  
 ZONED: OST  
 SECURE DEVELOPMENT PROPERTIES, LLC

NEW PLANTING  
 MATERIALS SHALL NOT  
 BE PLANTED WITHIN 4  
 FT. OF PROPERTY LINE

PARCEL ID: 50-22-16-451-055  
 ZONED: R-2  
 ANDES HILLS CONDOMINIUMS



PARCEL ID: 50-22-16-451-034  
 ACREAGE: 48.00 AC  
 ZONED: R-1  
 BASILIAN FATHERS OF MILFORD  
 26995 TAIT RD  
 CITY OF NOVI, MI 48374  
 OAKLAND COUNTY

NOTE:  
 ALL LANDSCAPE INSTALLATION SHALL CONFORM TO CITY OF NOVI  
 "LANDSCAPE DESIGN MANUAL AND DETAILS" REVISED JUNE 5, 2017.

NEW PLANTING  
 MATERIALS SHALL NOT  
 BE PLANTED WITHIN 4  
 FT. OF PROPERTY LINE

**Phragmites australis Removal Recommendation**  
 • Herbicide treatment timeframe: September through October  
 • Herbicide application method: Backpack sprayer  
 • Recommended herbicide: 2% solution of Aquanet glyphosate plus surfactant  
 • Total area requiring treatment: 16,335 square feet ±0.35 acres  
 • Must be applied by a certified Commercial Pesticide Applicator

LEGEND	
XRW	EXISTING RIGHT-OF-WAY TREES
XST	EX. STREET TREES
XPL	EX. PARKING LOT TREES
XPT	EX. PERIMETER TREES
XRP	EX. REPLACEMENT TREES
[Hatched Box]	HARDWOOD MULCH
[Dashed Line]	WATER MAIN
[Dashed Line]	STORM SEWER
[Dashed Line]	SANITARY
[Circle]	EX. REGULATE TREE
[Hatched Box]	EX. WETLANDS
[Hatched Box]	CONSERVATION AREA
[Hatched Box]	EX. PHRAGMITES

REVISIONS

SECTION: 16
TOWN 1 NORTH, RANGE 8 EAST
CITY OF NOVI
OAKLAND COUNTY, MICHIGAN

*These documents are instruments of service in respect of the Project and may require without written verification or adaptation by Diffin Development Consultants (DDC) for the specific purposes intended will be at Users sole risk and without liability or right of recourse to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom. Any such verification or adaptation will require DDC to further compensation at rates to be agreed upon by User and DDC.*

**Sri Venkateswara Temple and Cultural Center**  
 PHASE 1  
 AS-CONSTRUCTED  
 LANDSCAPE PLAN NO. 2

CLIENT:  
**Sri Venkateswara Temple and Cultural Center, Inc.**  
 29482 Valley Bend Drive  
 Farmington Hills, MI 48331

**Diffin-Umlor & ASSOCIATES**  
 Civil Engineering • Surveying • Landscaping • Construction Services

49287 WEST ROAD  
 WIXOM, MI 48393  
 (P): 248-437-7803  
 (F): 866-960-4307


UTILITY WARNING  
 UNDERGROUND UTILITY LOCATIONS AS SHOWN ON THE PLAN, WERE OBTAINED FROM UTILITY OWNER AND NOT FIELD LOCATED.

Know what's below.  
 Call before you dig.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ANTIPOD. RELOCATION OF ALL UTILITIES MAY INTERFERE WITH CONSTRUCTION.

Seal & Signature





**RIGHT-OF-WAY LANDSCAPE SCREENING REQUIREMENTS**

REQUIRED GREENBELT WIDTH	20'
PROVIDED BERM OR WALL HEIGHT	4.5' TO 6'
PROVIDED BERM	5' TO 7'
REQUIRED CANOPY TREES (1 TREE / EACH 35-LF FRONTAGE)	10 TREES
PROVIDED CANOPY TREES	20 TREES
REQUIRED ORNAMENTAL TREES (1 TREE / EACH 20-LF FRONTAGE)	17 TREES
PROVIDED ORNAMENTAL TREES	17 TREES
REQUIRED STREET CANOPY TREES (1 TREE / EACH 35-LF FRONTAGE)	10 TREES
PROVIDED STREET CANOPY TREES	10 TREES

**PARKING LOT LANDSCAPE REQUIREMENTS**

50 FT. PARKING SPACE X 10% (279-SPACES X 171-SF X 0.10)	4754-SF
SO FT. OTHER PAVED AREA X 5% (96,304-SF X 0.05)	4,932-SF
TOTAL REQUIRED ISLAND SQ. FT.	9,686-SF
REQUIRED PARKING LOT TREES	130 TREES
PROVIDED PARKING LOT TREES	130 TREES
PROVIDED ISLAND SQ. FT.	11,843-SF
REQUIRED PERIMETER CANOPY TREE (2760-LF / 35-LF)	79 TREES
PROVIDED PERIMETER CANOPY TREE	110 TREES

**BUILDING FOUNDATION LANDSCAPE REQUIREMENTS**

REQUIRED BUILDING LANDSCAPE SQ. FT. BUILDING PERIMETER X 8"	4,416-SF
PROVIDED	5,354-SF
<b>PHASE 1 TEMPLE</b>	
REQUIRED (552-LF X 8')	4,416-SF
PROVIDED	5,354-SF
<b>PHASE 2 CULTURAL CENTER</b>	
REQUIRED (551-LF X 8')	4,408-SF
PROVIDED	7522-SF
TOTAL REQUIRED SQ. FT.	8,824-SF
PROVIDED BUILDING SQ. FT.	12,976-SF

**NEW PLANTING MATERIALS SHALL NOT BE PLANTED WITHIN 4 FT. OF PROPERTY LINE**

EXISTING RIGHT-OF-WAY TREES	XRW
EX. STREET TREES	XST
EX. PARKING LOT TREES	XPL
EX. PERIMETER TREES	XPT
EX. REPLACEMENT TREES	XRP
HARDWOOD MULCH	(Symbol)

**LEGEND**

WATERMAIN	(Symbol)
STORM SEWER	(Symbol)
SANITARY	(Symbol)
EX. REGULATE TREE	(Symbol)
EX. WETLANDS	(Symbol)
CONSERVATION AREA	(Symbol)
EX. PHRAGMITES	(Symbol)

**Phragmites australis Removal Recommendation:**

- Herbicide treatment timeframe: September through October
- Herbicide application method: Backpack sprayer
- Recommended herbicide: 2% solution of Aquanaul glyphosate plus surfactant
- Total area requiring treatment: 15,335 square feet ±0.35 acres
- Must be applied by a certified Commercial Pesticide Applicator

**NOTE:** ALL LANDSCAPE INSTALLATION SHALL CONFORM TO CITY OF NOVI "LANDSCAPE DESIGN MANUAL AND DETAILS" REVISED JUNE 4, 2017. SOIL SURVEY DATA CAN BE FOUND ON SHEET 2.

**REVISIONS**

NO.	DESCRIPTION

**SECTION: 16**

TOWN 1 NORTH, RANGE 8 EAST
CITY OF NOVI
OAKLAND COUNTY, MICHIGAN

*These documents are instruments of service in respect of the Project and any reuse without written verification or adaptation by Client Development Consultants (DDC) for the specific purposes intended will be at Users sole risk and without liability or legal exposure to DDC and User shall indemnify and hold harmless DDC from all claims, damages, losses and expenses including attorneys fees arising out of or resulting therefrom. Any such verification or adaptation will require DDC to further consultation at rates to be agreed upon by User and DDC.*

**Sri Venkateswara Temple and Cultural Center**  
**PHASE 1 AS-CONSTRUCTED & PHASE 2 LANDSCAPE PLAN NO. 1**

**CLIENT:**  
 Sri Venkateswara Temple and Cultural Center, Inc.  
 29482 Valley Bend Drive Farmington Hills, MI 48331

**LANDSCAPE ARCHITECT**  
 ANITA C. SILVERMAN  
 320 W. 7TH STREET  
 TRAVERSE CITY, MICHIGAN 49684  
 PHONE: (231) 932-1925  
 acsilverman@charter.net

**UTILITY WARNING**  
 UNDERGROUND UTILITY LOCATIONS AS SHOWN ON THE PLAN, WERE OBTAINED FROM UTILITY OWNER AND NOT FIELD LOCATED.  
 Know what's below. Call before you dig.  
 THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF AND/OR RELOCATION OF ALL UTILITIES THAT MAY INTERFERE WITH CONSTRUCTION.

**811**



**Diffin-Umlor & ASSOCIATES**  
 Civil Engineering • Surveying • Landscaping • Construction Services

49287 WEST ROAD  
 WIXOM, MI 48393  
 (P): 248-437-7803  
 (F): 866-980-4307



**D-Series Size 1  
LED Area Luminaire**

**Specifications**

Site:	120°
Beam:	120°
Height:	120"
Length:	120"
Width:	120"
Weight:	120 lbs
Power:	120 W

**Capable Luminaire**

This luminaire is an A+ capable luminaire, which has been designed and tested to provide consistent color appearance and system-level interoperability.

- All configurations of this luminaire meet the A+ Capable Luminaire specification for photometric consistency.
- This luminaire is A+ Certified under standard safety DTL protocols marked by a **Capable Luminaire** DTL. D+ equipped luminaires meet the A+ specification for luminaires to photometric interoperability.
- This luminaire is part of an A+ Certified solution for ICANN and Open W Wireless control systems, providing out-of-the-box control compatibility with service interoperability, when ordered with drivers and controllers marked by a **Capable Luminaire**.



**ASW1 LED  
LED Wall Luminaire**



**Specifications**

Width:	18"
Depth:	12"
Height:	12"
Weight:	34 lbs

**Introduction**

The ASW1 family combines sleek, flat forms and crisp edges with a striking architectural aesthetic that can be echoed throughout entire sites.

The ASW1 LED integrates the latest LED technology with the designer aesthetics of the ASW1 family for elegant, high performance illumination that lasts. The ASW1 LED is ideal for replacing 100-400W metal halide in area lighting applications with typical energy savings of 40% and expected service life of over 100,000 hours.



**MOUNTING HEIGHT = 20' AFG  
PROPOSED POLES MEET 100 MPH WINDS**

Numeric Summary		Project: All Projects			
Label	Min	Max	Avg	Available	
LED	2.7	0.1	1.9	1.00.1	

Luminaire Schedule					
Project: All Projects	Qty	Label	Mounting Height	Arrangement	Description
●	10	A	20'	18" DOUBLE	LITHONIA DSK 1 LED P3 50K TS WM VOLT
●	10	B	20'	SINGLE	LITHONIA DSK 1 LED P3 50K TS WM VOLT
●	11	C	15'	WALK TRACK	LITHONIA ASW1 LED 42C 350 30K 3R3 5M VOLT


**NOTES:**

TENTATIVE HOURS OF OPERATION - SHALL BE 6 A.M. TO 10 P.M. DEPENDING ON FINAL USE. ALL LIGHT FIXTURE SHALL BE SET ON A TIMER THAT AUTOMATICALLY TURNS OFF AFTER HOURS OF OPERATION.

Required conditions. When site plan approval is required for the installation or modification of exterior lighting, the following conditions shall apply:

- Light fixtures shall not be mounted in excess of the maximum height limitation of the district in which they are located. For lighting in residential districts and for uses adjacent to residential districts or uses, light fixtures shall not be mounted in excess of twenty-five (25) feet above grade. Fixture height shall be measured from the grade of the illuminated surface to the bottom of the fixture.
- No flashing light shall be permitted.
- Glare control shall be accomplished primarily through the proper selection and application of lighting equipment. Only after those means have been exhausted shall landscaping, fencing and screen scattering methods be considered acceptable means for reducing glare.
- Outdoor lighting shall be designed to achieve uniform illumination levels. The ratio of the average light level of the surface being lit to the lowest light of the surface being lit, measured in foot-candles, shall not exceed 4:1.2.3


**NOTE: ALL WORK SHALL CONFORM TO THE CITY OF NOVI STANDARDS AND SPECIFICATIONS.**



**NOTES**

1. USE 3000 PSI OR 3000 COMPRESSIVE STRENGTH CONCRETE WITH GRADE AS SHOWN.
2. 6" MINIMUM CONCRETE COVER SHALL BE MAINTAINED THROUGHOUT BY THE CONTRACTOR.
3. PROVIDE PROTECTIVE CURB OR BARRIER SHALL BE PROVIDED AS SHOWN ON THE PLAN.
4. PROVIDE PROTECTIVE CURB OR BARRIER SHALL BE PROVIDED AS SHOWN ON THE PLAN.


**NOTE:**  
ONLY NECESSARY LIGHTING FOR SECURITY PURPOSES AND LIMITED OPERATIONS SHALL BE PERMITTED AFTER SITE'S HOURS OF OPERATION.



<b>REVISIONS</b> <table border="1"> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </table>													<b>SECTION: 16</b> <b>TOWN 1 NORTH, RANGE 8 EAST</b>  <b>CITY OF NOVI</b>  <b>OAKLAND COUNTY, MICHIGAN</b>	These documents are instruments of service in respect of the Project and any reuse without written verification or adaptation by User Development Consultants (UDC) for the specific purpose intended will be at User's sole risk without liability or hold harmless UDC from all claims, damages, losses and expenses including attorneys' fees arising out of or resulting therefrom. Any such verification or adaptation will entitle UDC to further compensation at rates to be agreed upon by User and UDC.	<b>Sri Venkateswara Temple and Cultural Center</b> <b>AS-CONSTRUCTED LIGHTING PHOTO METRIC PLAN</b>	<b>CLIENT:</b> <b>Sri Venkateswara Temple and Cultural Center, Inc.</b> 29482 Valley Bend Drive Farmington Hills, MI 48331	<b>DU Diffin-Umlor &amp; ASSOCIATES</b> Civil Engineering • Surveying • Landscaping • Construction Services 48287 WEST ROAD WIXOM, MI 48393 (P): 248-437-7803 (F): 866-960-4307	Date: 7-18-18 Drawn By: MD P.E.: Matthew A. Dillin SCALE: 1"=40' Job No.: 072805 Sheet No.: 22 OF 24







**GENERAL NOTES:**

1. BUILDING CODE: 2012 MICHIGAN BUILDING CODE
2. BUILDING USE & OCCUPANCY CLASSIFICATION: ASSEMBLY GROUP A, A-3 COMMUNITY HALLS EXIT ACCESS TRAVEL DISTANCE = 250 FT
3. BUILDING WILL BE FULLY EQUIPPED THROUGHOUT WITH AN AUTOMATIC SPRINKLER SYSTEM.
4. ALL SINGLE SWING DOORS SHALL BE 3'-0" WIDE. DOORS SWING INTO HALLS AND OR CORRIDORS SHALL BE EQUIPPED WITH DOOR CLOSURES.
5. ALL DOUBLE DOORS SHALL BE (2) 3'-0" WIDE LEAFS. DOORS SWING INTO HALLS AND OR CORRIDORS SHALL BE EQUIPPED WITH DOOR CLOSURES.

**BASEMENT FLOOR PLAN**

SCALE: 1/8" = 1'-0"



**MANYAM GROUP**  
 200 N. WASHINGTON ST.  
 ANN ARBOR, MI 48106  
 ARCHITECTURE INTERIORS CONSULTING INCORPORATED




**PHASE II : CULTURAL CENTER - BASEMENT FLOOR PLAN**  
**SV TEMPLE AND CULTURAL CENTER**  
 NOV, MICHIGAN

REVISION / NOTES	DATE	DESIGNED BY	CHECKED BY	SCALE	DATE	JOB NUMBER	HEET NUMBER
SEE SHEET L1001 FOR COORDINATION	11-14-18	PM	PM	1/8" = 1'-0"	4-9-2018	-	A300
CONCRETE FLOOR FINISH TYPICAL							

DATE: 4-9-2018  
 JOB NUMBER: -

HEET NUMBER: **A300**



**GENERAL NOTES:**

- BUILDING CODE: 2012 MICHIGAN BUILDING CODE
- BUILDING USE & OCCUPANCY CLASSIFICATION:  
ASSEMBLY GROUP A, A-3 COMMUNITY HALLS  
EXIT ACCESS TRAVEL DISTANCE = 250 FT
- BUILDING WILL BE FULLY EQUIPPED THROUGHOUT  
WITH AN AUTOMATIC SPRINKLER SYSTEM.
- ALL SINGLE SWING DOORS SHALL BE 3'-0" WIDE.  
DOORS SWING INTO HALLS AND OR CORRIDORS SHALL  
BE EQUIPPED WITH DOOR CLOSURES.
- ALL DOUBLE DOORS SHALL BE (2) 3'-0" WIDE LEAFS.  
DOORS SWING INTO HALLS AND OR CORRIDORS SHALL  
BE EQUIPPED WITH DOOR CLOSURES.
- OCCUPANCY BASED ON MULTI-PURPOSE HALL,  
SQ.FT. = 6,516.63 REVD SQ. FT./ PERSON = 15 , TOTAL  
OCCUPANCY = 434  
NUMBER OF 8 FT. DIAMETER TABLES, TOTAL = 36  
SEATING PER TABLE = 12 SEATS  
TOTAL OCCUPANTS BASED ON NUMBER OF TABLES  
AND SEATING PER TABLE, TOTAL OCCUPANTS FOR  
MULTI-PURPOSE HALL, TOTAL OCCUPANTS = 396
- OCCUPANCY BASED ON STAGE, SQ.FT = 708.57  
REVD SQ.FT. / PERSON = 15 , TOTAL OCCUPANCY = 47  
NUMBER OF 8 FT X 3 FT. TABLES, TOTAL = 2  
SEATING PER TABLE = 3 SEATS  
TOTAL OCCUPANTS BASED ON NUMBER OF TABLES  
AND SEATING PER TABLE, TOTAL OCCUPANTS FOR  
STAGE, TOTAL OCCUPANTS = 9

**FIRST FLOOR PLAN**

SCALE: 1/8" = 1'-0"



**MANYAM GROUP**  
200 N. WASHINGTON ST.  
ANN ARBOR, MI 48106  
PH: 734.769.1234  
WWW.MANYAMGROUP.COM



**PHASE II: CULTURAL CENTER - FIRST FLOOR PLAN**  
**SV TEMPLE AND CULTURAL CENTER**  
NOV, MICHIGAN


REVISION / DATE	DESCRIPTION
1	PRELIMINARY LAYOUT
2	REV. PRELIMINARY LAYOUT
3	REV. PRELIMINARY LAYOUT
4	REV. PRELIMINARY LAYOUT

DATE	4-9-2018
DESIGNED BY	DF
CHECKED BY	PM
SCALE	1/8" = 1'-0"
DATE	4-9-2018
JOB NUMBER	-

**HEET NUMBER**  
**A301**

This drawing is the property of Manyam Group. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group. It is not to be responsible or liable for the construction use of this material for any additions, alterations, omissions or deviations.





- GENERAL NOTES:**
- BUILDING CODE: 2012 MICHIGAN BUILDING CODE
  - BUILDING USE & OCCUPANCY CLASSIFICATION: ASSEMBLY GROUP A, A-3 COMMUNITY HALLS  
EXIT ACCESS TRAVEL DISTANCE = 250 FT
  - BUILDING WILL BE FULLY EQUIPPED THROUGHOUT WITH AN AUTOMATIC SPRINKLER SYSTEM.
  - ALL SINGLE SWING DOORS SHALL BE 3'-0" WIDE. DOORS SWING INTO HALLS AND OR CORRIDORS SHALL BE EQUIPPED WITH DOOR CLOSURES.
  - ALL DOUBLE DOORS SHALL BE (2) 3'-0" WIDE LEAFS. DOORS SWING INTO HALLS AND OR CORRIDORS SHALL BE EQUIPPED WITH DOOR CLOSURES.

**SECOND FLOOR PLAN**  
SCALE: 1/8" = 1'-0"





**MANYAM GROUP**  
200 N. WASHINGTON ST.  
ANN ARBOR MI 48106  
PHONE: 734.769.1234  
WWW.MANYAMGROUP.COM

**PHASE II: CULTURAL CENTER - SECOND FLOOR PLAN**  
**SV TEMPLE AND CULTURAL CENTER**  
NOV, MICHIGAN

REVISION / DATE	DATE	DESIGNED BY	SCALE	DATE	JOB NUMBER
1. REV. LAYOUT	11-14-18	PM	1/8" = 1'-0"	4-9-2018	-
2. REV. LAYOUT	11-14-18	PM	1/8" = 1'-0"	4-9-2018	-
3. REV. LAYOUT	11-14-18	PM	1/8" = 1'-0"	4-9-2018	-



**HEET NUMBER**  
**A302**

This drawing is the property of Manyam Group. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group. It is not to be used on any other project or in a non-scheduled entity. Manyam Group shall not be held responsible or liable for the construction use of this material for any alterations, omissions, additions or deletions.



DATE	REVISION / NUMBER
10-25-2008	01
11-11-2008	02
01-22-2009	03
03-11-2009	04
05-14-2009	05
07-16-2009	06
09-18-2009	07
11-19-2009	08
01-21-2010	09
03-23-2010	10
05-25-2010	11
07-27-2010	12
09-29-2010	13
11-30-2010	14
01-31-2011	15
03-31-2011	16
05-31-2011	17
07-31-2011	18
09-30-2011	19
11-30-2011	20
01-31-2012	21
03-31-2012	22
05-31-2012	23
07-31-2012	24
09-30-2012	25
11-30-2012	26
01-31-2013	27
03-31-2013	28
05-31-2013	29
07-31-2013	30
09-30-2013	31
11-30-2013	32
01-31-2014	33
03-31-2014	34
05-31-2014	35
07-31-2014	36
09-30-2014	37
11-30-2014	38
01-31-2015	39
03-31-2015	40
05-31-2015	41
07-31-2015	42
09-30-2015	43
11-30-2015	44
01-31-2016	45
03-31-2016	46
05-31-2016	47
07-31-2016	48
09-30-2016	49
11-30-2016	50
01-31-2017	51
03-31-2017	52
05-31-2017	53
07-31-2017	54
09-30-2017	55
11-30-2017	56
01-31-2018	57
03-31-2018	58
05-31-2018	59
07-31-2018	60
09-30-2018	61
11-30-2018	62
01-31-2019	63
03-31-2019	64
05-31-2019	65
07-31-2019	66
09-30-2019	67
11-30-2019	68
01-31-2020	69
03-31-2020	70
05-31-2020	71
07-31-2020	72
09-30-2020	73
11-30-2020	74
01-31-2021	75
03-31-2021	76
05-31-2021	77
07-31-2021	78
09-30-2021	79
11-30-2021	80
01-31-2022	81
03-31-2022	82
05-31-2022	83
07-31-2022	84
09-30-2022	85
11-30-2022	86
01-31-2023	87
03-31-2023	88
05-31-2023	89
07-31-2023	90
09-30-2023	91
11-30-2023	92
01-31-2024	93
03-31-2024	94
05-31-2024	95
07-31-2024	96
09-30-2024	97
11-30-2024	98
01-31-2025	99
03-31-2025	100

This drawing is the printed and electronic format. It is not to be used on any other project or for any other purpose without the written consent of Manyam Group. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group. It is not to be used for any other project or for any other purpose without the written consent of Manyam Group. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group. It is not to be used for any other project or for any other purpose without the written consent of Manyam Group.



**MANYAM GROUP**  
 ARCHITECTS  
 400 W. WABASH ST., SUITE 1200  
 CHICAGO, ILL. 60601  
 WWW.MANYAMGROUP.COM


**PHASE II : CULTURAL CENTER - NORTH & SOUTH BUILDING ELEVATIONS**  
**SV TEMPLE AND CULTURAL CENTER**  
 NOV, MICHIGAN

<b>DATE:</b>	<b>REVISION / NUMBER:</b>
<b>1-25-2008</b>	
<b>DATE:</b>	<b>CHECKED BY:</b>
	<b>PLM</b>
<b>SCALE:</b>	<b>DRAWN BY:</b>
<b>1/8"=1'-0"</b>	<b>PK</b>
<b>DATE:</b>	<b>JOB NUMBER:</b>
<b>1-25-2008</b>	
<b>JOB NUMBER:</b>	
<b>SHEET NUMBER:</b>	

**A306**

This drawing is to be printed and electronic format. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group, LLC. It is not to be used on any other project or by a non-authorized entity. Manyam Group shall not be held responsible for any omissions, alterations, additions or deletions.

This drawing is the property of Manyam Group. It is not to be reproduced and/or modified in whole or in part without prior written consent from Manyam Group. It is not to be used on any other project or as a sub-subcontract entity. Manyam Group shall not be held responsible or liable for the construction use of this material for any alterations, omissions or additions.



**A307**

## PC ACTION SUMMARY

---



# PLANNING COMMISSION ACTION SUMMARY

CITY OF NOVI

Regular Meeting

**October 3, 2018 7:00 PM**

Council Chambers | Novi Civic Center  
45175 W. Ten Mile (248) 347-0475

## CALL TO ORDER

The meeting was called to order at 7:00 PM.

## ROLL CALL

Present: Member Anthony, Member Avdoulos, Member Lynch, Member Maday, Chair Pehrson

Absent: Member Greco (excused)

Also Present: Barbara McBeth, City Planner; Sri Komaragiri, Planner; Lindsay Bell, Planner; Rick Meader, Landscape Architect; Beth Saarela, City Attorney

## APPROVAL OF AGENDA

Motion to approve the October 3, 2018 Planning Commission Agenda. *Motion carried 5-0.*

## PUBLIC HEARINGS

### 1. VILLAS AT STONEBROOK JSP17-62

Public hearing at the request of Pulte Homes of Michigan, LLC for approval of the Special Land Use Permit, Preliminary Site Plan, wetlands permit, woodlands permit and Stormwater Management Plan. The subject property is approximately 26 acres and is located on the east side of Wixom Road, north of Eleven Mile Road in Section 17. The applicant is proposing a 43 duplex (86 total units) "age-targeted" ranch style housing units. The subject property is currently zoned I-2, General Industrial with Planned Suburban Low-Rise Overlay. The development also proposes a shared public entrance to Wildlife Woods Park, which is zoned RA and some related minor parking improvements within the park.

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Special Land Use Permit based on and subject to the following:

- a. The proposed use will not cause any detrimental impact on existing thoroughfares *(as the results of the TIA indicated that the development and adjacent roadways will experience acceptable levels-of-service and delays);*
- b. The proposed use will not cause any detrimental impact on the capabilities of public services and facilities;
- c. The proposed use is compatible with the natural features and characteristics of the land *(because necessary mitigation measures are proposed for the proposed impacts to natural features on the site);*

- d. The proposed use is compatible with adjacent uses of land (*because the proposed use conforms to the PSLR agreement and all standards for a two family detached home*);
- e. The proposed use is consistent with the goals, objectives, and recommendations of the City's Master Plan for Land Use;
- f. The proposed use will promote the use of land in a socially and economically desirable manner;
- g. The proposed use is (1) listed among the provision of uses requiring special land use review as set forth in the various zoning districts of this Ordinance, and (2) is in harmony with the purposes and conforms to the applicable site design regulations of the zoning district in which it is located.

This motion is made because the plan is otherwise in compliance with Article 3, Article 4, Article 5, and Article 6 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Preliminary Site Plan, described as the alternate plan, with a maximum total of 42 buildings/84 units, based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters and the conditions and the items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Article 3, Article 4, and Article 5 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Wetland Permit based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 12, Article V of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Woodland Permit based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 37 of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Stormwater Management Plan based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 11 of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

## MATTERS FOR CONSIDERATION

### 1. SRI VENKATESWARA CULTURAL CENTER JSP18-32

Consideration at the request of Manyam Group for Preliminary Site Plan and Storm Water Management plan approval. The subject property contains 9.65 acres and is located in Section 16, on the west side of Taft Road and south of Grand River

Avenue. The site contains the Sri Venkateswara Temple building, which received Special Land Use and Site Plan approval in 2009. The applicant is proposing to construct phase 2 of the project: a 24,136 square foot, 2-story Cultural Center on the eastern portion of the site. The parking, drive areas, and utilities were previously constructed in phase 1, with only minor changes proposed now.

**In the matter of Sri Venkateswara Cultural Center JSP18-32, motion to approve the Preliminary Site Plan based on and subject to the following:**

- a. Landscape waiver from Section 5.5.3.D for deficiency of the required foundation plantings (73% provided, 75% required) because additional landscaping is provided in alternate locations, which is hereby granted;
- b. Landscape waiver from Section 5.5.3.D for location of foundation plantings away from the building because the area is close to the building and will beautify the entryway, which is hereby granted;
- c. The applicant providing the required 3250 gallons per minute fire flow as required by IFC 2012 Table B105.1 and the Fire Chief approving all hydrant locations;
- d. The findings of compliance with Ordinance standards in the staff and consultant review letters and the conditions and the items listed in those letters being addressed on the Final Site Plan.

This motion is made because the plan is otherwise in compliance with Article 3, Article 4, and Article 5 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

In the matter of Sri Venkateswara Cultural Center JSP18-32, motion to approve the Stormwater Management Plan based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 11 of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

#### **ADJOURNMENT**

The meeting was adjourned at 7:30 PM.

*\*Actual language of the motions subject to review.*



**PC MINUTES**

---



# PLANNING COMMISSION MINUTES

CITY OF NOVI

Regular Meeting

**October 3, 2018 7:00 PM**

Council Chambers | Novi Civic Center

45175 W. Ten Mile (248) 347-0475

## CALL TO ORDER

The meeting was called to order at 7:00 PM.

## ROLL CALL

**Present:** Member Anthony, Member Avdoulos, Member Lynch, Member Maday, Chair Pehrson

**Absent:** Member Greco (excused)

**Also Present:** Barbara McBeth, City Planner; Sri Komaragiri, Planner; Lindsay Bell, Planner; Rick Meader, Landscape Architect; Beth Saarela, City Attorney

## PLEDGE OF ALLEGIANCE

Member Maday led the meeting attendees in the recitation of the Pledge of Allegiance.

## APPROVAL OF AGENDA

Moved by Member Lynch and seconded by Member Avdoulos.

## VOICE VOTE TO APPROVE THE OCTOBER 3, 2018 AGENDA MOTION MADE BY MEMBER LYNCH AND SECONDED BY MEMBER AVDOULOS.

*Motion to approve the October 3, 2018 Planning Commission Agenda. Motion carried 5-0.*

## AUDIENCE PARTICIPATION

Nobody in the audience wished to speak.

## CORRESPONDENCE

There was no correspondence.

## COMMITTEE REPORTS

There were no Committee Reports.

## CITY PLANNER REPORT

There was no City Planner report.

## CONSENT AGENDA

There were no items on the consent agenda.

## PUBLIC HEARINGS

1. **VILLAS AT STONEBROOK JSP17-62**

Public hearing at the request of Pulte Homes of Michigan, LLC for approval of the Special Land Use Permit, Preliminary Site Plan, wetlands permit, woodlands permit and Stormwater Management Plan. The subject property is approximately 26 acres and is located on the east side of Wixom Road, north of Eleven Mile Road in Section 17. The applicant is proposing a 43 duplex (86 total units) "age-targeted" ranch style housing units. The subject property is currently zoned I-2, General Industrial with Planned Suburban Low-Rise Overlay. The development also proposes a shared public entrance to Wildlife Woods Park, which is zoned RA and some related minor parking improvements within the park.

Planner Komaragiri said this is a familiar project, as the Planning Commission has reviewed the layout as part of the Planned Suburban Overlay Concept Plan approval process. A public hearing was held on February 7, 2018 and a favorable recommendation was made to City Council. The City Council considered the application on February 26 and provided tentative approval with some additional clarifications to be provided. At their August 27, 2018 meeting, the Concept Plan and the PSLR Agreement were finally approved. Minutes from all previous meetings are included in your packets.

Since the last time you saw this plan in February, there are no major changes to the site layout. The applicant is proposing to construct 43 duplex buildings, 86 homes in total, on the east side of Wixom Road, north of Eleven Mile Road. These are age-targeted, ranch-style homes with an optional loft or basement, which our current Master Plan has identified a need for. The Concept Plan proposes a connection to Providence Park Hospital trail system to the east. The project also proposes additional enhancement to the existing trail system within the hospital campus. The project proposes removal and remediation of the existing industrial facility and brownfield site. A secondary access is provided across the ITC Corridor connecting to Providence Parkway.

The subject property is located west of Providence Park Hospital and north of Wildlife Wood Park. The ITC Corridor abuts the property to the east. The site is currently zoned I-2 General Industrial, with a Planned Suburban Low-Rise Overlay. The subject property is surrounded by I-1 Light Industrial, to the north, R-1 Single Family Residential to the east and south, ITC Corridor to the east, and OSC Office Service and Commercial across the Corridor.

Planner Komaragiri said the Future Land Use map indicated PSLR Overlay for the subject property, Office Research Development and Technology and Community Commercial to the north, Office Commercial across the ITC Corridor. A Special Land Use is required for proposing multiple-family units using the PSLR Overlay option.

Based on the Planning Commission's input from the previous public hearing, the applicant has eliminated all the deviations that were requested from the Façade Ordinance, eliminated one Landscape deviation, and reduced the intensity of another one. A total of nine elevations are provided as part of the current Preliminary Site Plan submittal.

At the Council meeting, there was discussion about the access to the oil well through the proposed residential private road. Following the discussion at the Council meeting, the applicant has contacted the well company and offered to provide a new driveway access point from a location splitting off from a shared access drive on Wixom Road, in

order to avoid well truck traffic traveling through the residential development. The applicant is also offering to install a more convenient parking lot for use by park visitors, as shown on the screen in front of you.

The subject property has regulated woodlands and wetlands on the property. There are a total of eleven areas of wetland that add up to 1.97 acres. Of those, 0.54 acres of wetlands are being impacted and 23,000 cubic feet of wetland fill is being proposed. There are a total of 357 woodland trees on site. 197 trees, approximately 55% of the regulated trees, are proposed to be removed. The Landscape plan indicates a majority of the replacement trees are provided along the perimeter of the site, a few along the entrance drive, and a few along the eastern side of the central courtyard, as indicated in the green shaded areas on the screen. Staff will continue to work with the applicant to identify the final locations for the replacement trees and the remaining will be paid into the tree fund.

The proposed wetlands impacts would require about one acre of wetland mitigation. The applicant has requested to defer the review of off-site mitigation at the time of Final Site Plan, as a condition of the PSLR Agreement. Based on comments from Staff, the applicant has provided an alternative plan indicating that if such off-site mitigation cannot be located, the applicant intends to construct "Plan B" as shown on the screen, with on-site mitigation shown as blue shaded areas on the screen, with the reduction of two units if this alternate plan is implemented. This is in case they cannot find a suitable off-site mitigation elsewhere.

Planner Komaragiri said all reviewers are recommending approval with additional comments to be addressed with Final Site Plan. The Planning Commission is asked tonight to hold a public hearing and to approve or deny the Special Land Use and Preliminary Site Plan. The applicant, Joe Skore, is here tonight with his engineer, Bill Anderson, who I understand wants to give a small presentation, to answer any questions you may have.

Bill Anderson, with Atwell, said I'm here with Joe Skore, Vice President of Pulte Homes of Michigan. Sri gave a nice overview, but I just wanted to add a couple things; since we saw you, a couple of things have been added to the plan and this is the updated rendering that provides it.

We did add an access drive to that City Park to the south, Wildlife Woods Park. It's a pavilion there, so we added drive access down to that park and actually an ADA sidewalk proposed to that pavilion. We're also providing some signage off of Wixom to that City Park, so you'll be able to have public residents coming in and using that access drive down to that pavilion. Again, there are twelve parking spaces there. As part of that drive access, there will be a new access point to that well location as part of it.

This is Plan B that assuming we get favorable recommendations tonight for Preliminary, our Final will show a reduction of a unit, as Sri indicated. If you look on this rendering, it shows that unit on the southeast corner as being removed. So we're actually going to end up with 84 units, so that would be a plan change since you have seen it, as well. So the park improvements, but minus that one building or two units.

Mr. Anderson said and then also, we have finalized all of our off-site easements with the ITC and Providence Hospital. We're looking forward to connecting with their paths – it's

going to be great for our residents and the residents to the west. And then, as you know, we completed the PSLR Agreement and got that approved at the Council meeting last month. So a couple things I just wanted to note, and we're certainly here for any questions you might have on the Preliminary Site Plan.

Chair Pehrson asked if there was anyone in the audience that wished to address the Planning Commission regarding this project. Seeing no one, he asked if there was any correspondence.

Member Lynch said there was no correspondence.

Chair Pehrson closed the public hearing and turned it over to the Planning Commission for their consideration.

Member Lynch said I have a couple things. I guess the first one is kind of a pet peeve of mine – this tree fund thing. There's no place on that site that you could put these trees? You've got to put money into the tree fund? I'm looking at the site plan, and there's no place on there that you could put the trees instead of donating to the tree fund? Is that what I'm hearing?

Planner Komaragiri said they require about 127 replacement trees, and they are showing that all trees are being placed on the site. Staff is still just working with them with a few trees that we don't agree with the locations. It's not many, but they may end up putting those into the tree fund.

Member Lynch said why is anything going into the tree fund? There's plenty of open space to put the trees in.

Planner Komaragiri said as you can see on the screen, the areas in green are where the replacements are being proposed, and the rest of the site is quite landscaped to comply with the landscape requirements. So I think I would like to defer the question to Rick for more clarification.

Landscape Architect Meader said they intend to plant them all on site, it's just a matter of the math. It's not quite right and we disagree with their math. Basically, if they can't fit them, they'll put money in the tree fund, but we think they can fit them all.

Member Lynch said ok, and you know my position. If you take the trees out of one area, they should remain there somewhere.

Landscape Architect Meader said they fully intend to plant them all there, it's just a matter of getting the counts right.

Member Lynch said ok. The second thing is this mitigation plan, can you explain that to me? You're removing a unit, and what was the need for two detention ponds?

Mr. Anderson said there's detention, but if you fill a regulated wetland you need to replace that wetland at 1.5 times, and again we generally try to do that on-site but you can't always do that. In Novi, I believe, you can do off-site mitigation. So if I fill an acre of wetland on property, I can build an acre and a half wetland mitigation somewhere else in

the City. We looked at multiple other sites to do it there, we're going to do that here. It connects and interfaces with some other wetlands on-site, so we're going to do the wetland mitigation right on site. The impact is one building for us.

Member Lynch said so when these detention ponds all fill up and discharge, where do they discharge?

Mr. Anderson said there's a drainage course that runs southwesterly across the site. So all the stormwater goes in there, it does treatment and detention through those.

Member Lynch said so it does do treatment?

Mr. Anderson said it does do quality treatment, absolutely. It treats three different storm events and detains.

Member Lynch said ok, because I think it flows west at the end of the day and that's all part of the Huron River watershed I think.

Mr. Anderson said I think this is the Huron River Watershed.

Member Lynch said ok, so you're going to clean it up before you discharge.

Mr. Anderson said there's a significant wetland bay that runs northeasterly to southwesterly through there.

Member Lynch said ok, I see it. And the final thing is that I'm looking at your renderings, it looks like row housing. The stuff that I got in my package looks like brick row houses.

Mr. Anderson said these are the updated approved renderings.

Member Lynch said ok, I don't remember seeing those before. I take that comment back. Those are all of my comments.

Member Anthony said first, as this one is towards the end, having gone through quite a few approvals, I do like how the zoning was changed so that it created a nice buffer between where we have residential, where we have the school, where we have the hospital, and then the other industrial office area. So I think that was done well.

Thank you for working with the staff on redoing the facades. Looking at that new façade that's up there, I like the peaks and the architectural features there. I think it fits well with Novi. I like how you're working with the staff on the trees. I also agree with trying to keep the trees on site, but thank you for working with the staff to see that that's done. The wetland mitigation, I'm also one that leans towards trying to get it as close to where they're abated. It looks good. So it essentially meets all of the requirements for abatement. Is this a state regulated or city regulated wetland?

Planner Komaragiri said they are both. They are supposed to get an MDEQ permit.

Member Anthony said which is a more difficult requirement to meet.

Mr. Anderson said it's been applied for.

Member Anthony said ok. And when I look at all of these pieces – the zoning, façade, abatement, trees, wetlands – I like this and this is certainly something I can support. I'd be willing to make a motion.

Motion made by Member Anthony and seconded by Member Avdoulos.

Member Maday said I just have a question because I wasn't here the first time around and I was just looking at everybody else's notes. When it comes to, and this could just be mistake on my end, but when it comes to the brownfield issue, is there known contamination on the site from the previous industrial facility?

Joe Skore, with Pulte Homes of Michigan, said yes that is true. The site has contamination.

Member Maday said is it completely 100% delineated?

Mr. Skore said we've done multiple investigations with our environmental consultant and to answer your question, we are going to clean it up to be below residential levels and criteria.

Member Maday said ok that was my question. Just because my biggest concern is with the vapors, especially being that it's residential.

Mr. Skore said we are going to remediate the entire site and remove the contamination.

Member Maday said and do we know, and you may not know this, but the adjacent oil well – from what I've been told, it's owned by the City of Novi being leased. Do we know if that has any contamination on it itself?

Mr. Skore said not to my knowledge.

Member Maday said ok, thank you.

**ROLL CALL VOTE TO APPROVE SPECIAL LAND USE MOTION MADE BY MEMBER ANTHONY AND SECONDED BY MEMBER AVDOULOS.**

**In the matter of Villas at Stonebrook JSP17-62, motion to approve the Special Land Use Permit based on and subject to the following:**

- a. The proposed use will not cause any detrimental impact on existing thoroughfares *(as the results of the TIA indicated that the development and adjacent roadways will experience acceptable levels-of-service and delays)*;**
- b. The proposed use will not cause any detrimental impact on the capabilities of public services and facilities;**
- c. The proposed use is compatible with the natural features and characteristics of the land *(because necessary mitigation measures are proposed for the proposed impacts to natural features on the site)*;**
- d. The proposed use is compatible with adjacent uses of land *(because the proposed use conforms to the PSLR agreement and all standards for a two family detached home)*;**

- e. The proposed use is consistent with the goals, objectives, and recommendations of the City's Master Plan for Land Use;
- f. The proposed use will promote the use of land in a socially and economically desirable manner;
- g. The proposed use is (1) listed among the provision of uses requiring special land use review as set forth in the various zoning districts of this Ordinance, and (2) is in harmony with the purposes and conforms to the applicable site design regulations of the zoning district in which it is located.

This motion is made because the plan is otherwise in compliance with Article 3, Article 4, Article 5, and Article 6 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

**ROLL CALL VOTE TO APPROVE PRELIMINARY SITE PLAN MOTION MADE BY MEMBER ANTHONY AND SECONDED BY MEMBER AVDOULOS.**

City Attorney Saarela said because this is the alternative plan that is being proposed, if you can amend the Preliminary Site Plan motion to indicate approval of the alternative plan with 42 buildings.

Member Anthony said we will amend the motion that it is for 42 buildings, 84 units, instead of the 43 buildings shown on the drawing.

Member Avdoulos seconded.

**In the matter of Villas at Stonebrook JSP17-62, motion to approve the Preliminary Site Plan, described as the alternate plan, with a maximum total of 42 buildings/84 units, based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters and the conditions and the items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Article 3, Article 4, and Article 5 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.***

**ROLL CALL VOTE TO APPROVE WETLAND PERMIT MOTION MADE BY MEMBER ANTHONY AND SECONDED BY MEMBER AVDOULOS.**

**In the matter of Villas at Stonebrook JSP17-62, motion to approve the Wetland Permit based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 12, Article V of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.***

**ROLL CALL VOTE TO APPROVE WOODLAND PERMIT MOTION MADE BY MEMBER ANTHONY AND SECONDED BY MEMBER AVDOULOS.**

**In the matter of Villas at Stonebrook JSP17-62, motion to approve the Woodland Permit based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 37 of the Code of Ordinances and all other applicable**



provisions of the Ordinance. *Motion carried 5-0.*

**ROLL CALL VOTE TO APPROVE STORMWATER MANAGEMENT PLAN MOTION MADE BY MEMBER ANTHONY AND SECONDED BY MEMBER AVDOULOS.**

In the matter of Villas at Stonebrook JSP17-62, motion to approve the Stormwater Management Plan based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 11 of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

**MATTERS FOR CONSIDERATION**

**1. SRI VENKATESWARA CULTURAL CENTER JSP18-32**

Consideration at the request of Manyam Group for Preliminary Site Plan and Storm Water Management plan approval. The subject property contains 9.65 acres and is located in Section 16, on the west side of Taft Road and south of Grand River Avenue. The site contains the Sri Venkateswara Temple building, which received Special Land Use and Site Plan approval in 2009. The applicant is proposing to construct phase 2 of the project: a 24,136 square foot, 2-story Cultural Center on the eastern portion of the site. The parking, drive areas, and utilities were previously constructed in phase 1, with only minor changes proposed now.

Planner Bell said as you mentioned, the subject property is in Section 16 on the west side of Taft Road, south of Grand River Avenue. It is zoned RA Residential Acreage, with parcels to the east, west, and south also zoned RA. The property to the north is zoned OST Office Service Technology on the western portion of the north, and R-2 One Family Residential along the eastern portion to the north. To the south is zoned R-1 One Family Residential along the western portion. One parcel to the east across Taft Road is zoned I-1 Light Industrial.

The Future Land Use map indicates Single Family for this property and for those surrounding it, except for a portion to the north that is planned for Industrial, Research and Technology.

There is a wetland on the northern portion of the site, which is protected by a conservation easement. Conservation easements also protect the western end of the site to the rear of the Temple, and along the southern property line around the center of the site to protect woodland and wetland areas. A total of 3.3 acres of the site are protected by conservation easements. No impacts to regulated woodlands or wetlands are proposed at this time.

The applicant is proposing to construct Phase 2 of the previously approved SV Temple project, which is the Cultural Center. The 24,136 square foot building would be located on the eastern portion of the site, and would contain a multipurpose hall, classrooms, a library, office and meeting spaces, and a roof terrace. The area of construction was prepared for Phase 2 when Phase 1 was completed, including drive aisles, parking, loading area, and much of the landscaping, so limited work is needed at this time.

Planner Bell said the existing driveway off Taft Road provides site access. The applicant has proposed bicycle parking near the entrances to both the Cultural Center and the Temple at this time. Traffic recommends approval of the Preliminary Site Plan.

All stormwater, site utilities, and services were previously constructed in Phase 1. Engineering recommends approval with additional details required a Final Site Plan submittal.

Two Landscape waivers related to foundation landscape requirements are requested, as listed in your motion sheet, which are both supported by staff. Landscape recommends approval.

The building is in full compliance with the Façade Ordinance.

The applicant has been working with the Fire Marshal to determine whether an additional fire hydrant is needed on the site. Flow tests were completed on Monday and Tuesday, and the results indicate that a third hydrant is needed. The applicant has proposed a location just south of the loading area for that hydrant, so that would be right in this area.

Planner Bell said all reviews are recommending approval with additional comments to be addressed in a revised Final Site Plan. The Planning Commission is asked tonight to approve or deny the Preliminary Site Plan and Stormwater Management Plan. Representing the project tonight are the architect Praveen Manyam and engineer Matt Diffin. Staff and consultants are also available to answer any questions you might have. Thank you.

Matt Diffin, with Diffin-Umlor & Associates, said I'm the civil engineer for the project. I'm here with Praveen Manyam, the architect and a member of the temple. We're here to answer any questions that you may have. Like Lindsay said, most of the stuff was built in Phase 1 so other than the building construction, there's not a lot to it. This is just kind of a reiteration of a plan that was already approved, so if there's any questions about how anything functions with the Temple or what the Cultural Center will be used for, Praveen will be more than happy to answer those for you.

Chair Pehrson turned it over to the Planning Commission for their consideration.

Member Avdoulos said I didn't see any color renderings in our package. I've been to the site and I drive by it, so I'm assuming that the materials and everything I was looking at what was in our packet mimics what is already there, so that it will be a cohesive mini complex.

Planner Bell said yes, the Façade consultant did look at it and determine that it was consistent. I do have the Façade board in the office, I'm sorry I forgot to bring it over. It's like a white brick.

Member Avdoulos said I think it's all good. I appreciate the community being able to expand and enhance their site. I appreciate the applicant and the community working with the City. I see all approvals recommended, I see waivers that are staff supported, I'm comfortable that the fire flow calculations will be worked out that we need another hydrant and the applicant is putting that in. With that, I am going to make a motion.

Motion made by Member Avdoulos and seconded by Member Anthony.

**ROLL CALL VOTE TO APPROVE PRELIMINARY SITE PLAN MOTION MADE BY MEMBER AVDOULOS AND SECONDED BY MEMBER ANTHONY.**

In the matter of Sri Venkateswara Cultural Center JSP18-32, motion to approve the Preliminary Site Plan based on and subject to the following:

- a. Landscape waiver from Section 5.5.3.D for deficiency of the required foundation plantings (73% provided, 75% required) because additional landscaping is provided in alternate locations, which is hereby granted;
- b. Landscape waiver from Section 5.5.3.D for location of foundation plantings away from the building because the area is close to the building and will beautify the entryway, which is hereby granted;
- c. The applicant providing the required 3250 gallons per minute fire flow as required by IFC 2012 Table B105.1 and the Fire Chief approving all hydrant locations;
- d. The findings of compliance with Ordinance standards in the staff and consultant review letters and the conditions and the items listed in those letters being addressed on the Final Site Plan.

This motion is made because the plan is otherwise in compliance with Article 3, Article 4, and Article 5 of the Zoning Ordinance and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

**ROLL CALL VOTE TO APPROVE STORMWATER MANAGEMENT PLAN MOTION MADE BY MEMBER AVDOULOS AND SECONDED BY MEMBER ANTHONY.**

In the matter of Sri Venkateswara Cultural Center JSP18-32, motion to approve the Stormwater Management Plan based on and subject to the findings of compliance with Ordinance standards in the staff and consultant review letters, and the conditions and items listed in those letters being addressed on the Final Site Plan. This motion is made because the plan is otherwise in compliance with Chapter 11 of the Code of Ordinances and all other applicable provisions of the Ordinance. *Motion carried 5-0.*

**SUPPLEMENTAL ISSUES**

There were no supplemental issues.

**AUDIENCE PARTICIPATION**

Nobody in the audience wished to speak.

**ADJOURNMENT**

Moved by Member Lynch and seconded by Member Anthony.

**VOICE VOTE ON THE MOTION TO ADJOURN MADE BY MEMBER LYNCH AND SECONDED BY MEMBER ANTHONY.**

Motion to adjourn the October 3, 2018 Planning Commission meeting. *Motion carried 5-0.*

The meeting was adjourned at 7:30 PM.